

admin_header_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
admin_id	varchar(100)	No		
line_no	longtext	No		
admin_name	varchar(100)	No		
mobile_no	varchar(20)	No		
email_id	varchar(50)	No		
created_on	datetime	No		
otp	int(11)	No		
otp_datetime	datetime	No		
status	int(20)	No		1=active/0=deactive
linked_profile	longtext	No		profile_ids in csv (from profile_header_all)
deactivated_on	datetime	No		
permitted_dwnlds	int(11)	No		how much downloads is permitted to admin
current_dwnlds	int(11)	No		how much is currently downloaded
permitted_emails	int(11)	No		
current_no_of_emails	int(11)	No		how much emails is used
member_management	longtext	No		
wallet_recharge	longtext	No		1=yes/0=no
wallet_transaction	longtext	No		1=yes/0=no
admin_management	varchar(10)	No		
low_balance_alert	int(11)	No		
allocated_location_1	longtext	No		1=yes/0=no
allocated_location_2	longtext	No		
allocated_location_3	longtext	No		
allocated_location_4	longtext	No		
allocated_location_5	longtext	No		
allocated_location_6	longtext	No		
allocated_location_7	longtext	No		
allocated_location_8	longtext	No		
allocated_location_9	longtext	No		
allocated_location_10	longtext	No		
location_authority_1	longtext	No		
location_authority_2	longtext	No		
location_authority_3	longtext	No		
location_authority_4	longtext	No		
location_authority_5	longtext	No		
location_authority_6	longtext	No		
location_authority_7	longtext	No		
location_authority_8	longtext	No		
location_authority_9	longtext	No		
location_authority_10	longtext	No		
from_date	datetime	No		
to_date	datetime	No		if to_date is blank means this line no is active (currently)
login_code	varchar(10)	No		only when admin is gaurd
type	varchar(10)	No		1=admin/2=guard
profile_pic	longtext	No		
updated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	46	A	No	

agency_amount_settlement_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(20)	No		
collection_id	varchar(100)	No		
status	varchar(50)	No		1=pending/2=settled
amount	float	No		excluding gst

Column	Type	Null	Default	Comments
type	int(11)	No		1=daily/2=on closure
collected_from	int(11)	No		1=weblink, 2=visitor, 3= live link
reference_detail	varchar(100)	No		weblink_id/live_link_id/visitor_collection[9999]
transfer_details	longtext	No		UTR number or all details of transfer
date_of_disbursement	datetime	No		
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	7	A	No	

agency_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(20)	No		individual/organization
name	varchar(100)	No		
mobile_no	varchar(15)	No		
email_id	varchar(100)	No		
company_name	varchar(100)	No		organization_name
city	varchar(100)	No		
business_type	varchar(50)	No		functional area
no_of_employees	varchar(100)	No		
status	int(10)	No		1=active/0=deactive
created_on	datetime	No		
updated	datetime	No		
current_wallet_bal	double	No		
tentative_amount	float	No		total estimated Amount for active weblink.
coupan_add_on_amount	float	No		
is_get_benifit_of_offer	int(10)	No		Y=1/ N=0
agency_gst_no	varchar(16)	No		
agency_logo	longtext	No		
wallet_low_balance_alert_amt	float	No	0	amount
wallet_low_balance_alert_send_to	longtext	No		admin_ids in csv
bank_name	varchar(100)	No		
bank_ifsc	varchar(50)	No		
account_no	varchar(50)	No		
branch_address	longtext	No		
bank_account_holder	varchar(100)	No		
upi_id	varchar(100)	No		
star_rating	float	No	2.5	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	59	A	No	

agency_payout_request_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(15)	No		
payout_id	varchar(15)	No		
type	int(11)	No		1-weblink/2-livelink/3-visitor
type_id_or_date	longtext	No		weblink_id when type is 1 and date when type is 2 or 3[can be CSV] also will update amt against each weblink_id when disburst
requested_amt	varchar(50)	No		
requested_on	datetime	No		
status	varchar(100)	No		1-requested/2-reject(reason)/3-cancel

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	

agency_setting_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		

Column	Type	Null	Default	Comments
agency_id	varchar(100)	No		
line_no	int(11)	No		
active_locations	longtext	No		csv of location_ids
e_crime_reminder	int(11)	Yes	NULL	if yes then insert value in days
instant_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
visitor_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
weblink_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am), 4=after weblink close
livelink_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
created_on	datetime(6)	No		
modified_on	datetime	No		
weblink_ambiguity_report	int(11)	No		2=per transaction(per verification), 3=daily(at 12 am), 4=after weblink close
visitor_ambiguity_report	int(11)	No		1=not required, 2=per transaction(per verification), 3=daily(at 12 am)
livelink_ambiguity_report	int(11)	No		2=per transaction(per verification), 3=daily(at 12 am)
instant_ambiguity_report	int(11)	No		2=per transaction(per verification), 3=daily(at 12 am)
daily_livelink_report	int(11)	No		1=Y/0=N
daily_weblink_report	int(11)	No		1=Y/0=N
daily_visitor_report	int(11)	No		1=Y/0=N
daily_instant_report	int(11)	No		1=Y/0=N
instant_emails	longtext	No		instant verification email ids to whom emails is to be send.
visitor_emails	longtext	No		visitor verification email ids to whom emails is to be send.
weblink_emails	longtext	No		weblink verification email ids to whom emails is to be send.
livelink_emails	longtext	No		livelink verification email ids to whom emails is to be send.

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	57	A	No	

alerts_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		optional
dutypost_id	varchar(20)	No		optional
type	int(11)	No		1-visitor/2-authority removal
subtype	int(11)	No		1-ambiguity
alert_sent_to	longtext	No		csv of admin_id=0 means not sent, admin_id=datetime e.g admin_id1=0,admin_id2=30-12-2024 10:23:43 [if agency_id is there, means send to owner also]
category	varchar(10)	No		W-whatsapp/E-email/S-SMS/A-push notification
whatsapp_sent_to	longtext	No		admin_id in csv along with =0 or =datetime
email_sent_to	longtext	No		
sms_sent_to	longtext	No		
actual_content	longtext	No		actual content of whatever sent will be stored here

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

ambiguity_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
primary_id	varchar(20)	No		weblink_id/livelink_id/employeelink_id/dutypost_id/ etc
secondary_id	varchar(20)	No		enduser_id
status	int(11)	No		1=pending/2=approved/3=denied
ambiguity_details	longtext	No		details of ambiguity
alerts_id	longtext	No		CSV
generated_from	int(11)	No		1-weblink/2-livelink/3-direct/4-visitor/5-member
generated_on	datetime	No		
approved_on	datetime	No		
approved_by	varchar(20)	No		admin_id
denied_on	datetime	No		
denied_by	varchar(100)	No		admin_id
refund	varchar(10)	No		y=eligible for the retun / paid by end user[y means end user paid, N measn paid by wallet]
visiting_charges_refund_amt	varchar(20)	No		if 0 mean no return

Column	Type	Null	Default	Comments
verification_charges_refund_amt	varchar(20)	No		if 0 mean no return
mode_of_refund	varchar(50)	No		1-gpay/2-phonepay/3paytm/4-other upi
refund_paid_on	varchar(20)	No		mobile_no or upi
refund_status	int(11)	No		0-not paid/1-paid
refund_details	longtext	No		when refund status is Y then only data is here
ambiguity_found	varchar(50)	Yes	NULL	
ambiguity_percentage	float	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	463	A	No	

app_user_token_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
reg_mobile_no	varchar(15)	No		
current_version	varchar(50)	No		
linked_agency_id	longtext	No		csv format
app_device_token	varchar(50)	No		
operating_system	int(1)	No		android=1, ios=2
os_version	varchar(30)	No		
login_pin	varchar(10)	No		
login_otp	int(6)	No		
last_logged_in_on	datetime	No		
registered_on	datetime	No		
status	int(10)	No		1=active/0=deactive
deactivated_on	datetime	No		
type	int(1)	No	1	1-set/2-reset
location_dutypost	varchar(100)	No		location_id=dutypost_id

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	360	A	No	

bulk_end_user_transaction_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(100)	No		
bulk_id	varchar(15)	No		
end_user_id	varchar(15)	No		
excel_no	varchar(100)	No		1034-parent only, 1035-student only, 1036 - parent with student, 1037 - custom
obj_no	int(10)	No		1 or 2 or 3
obj_name	text	No		Father, Mother, gaurdian, child,etc
name	varchar(100)	No		
mobile	varchar(15)	No		if entry is primary then it can be filed(if secondary entry it can be blank)
email_id	varchar(100)	Yes	NULL	if entry is primary then it can be filed(if secondary entry it can be blank)
ref_enduser_id	longtext	No		CSV of linked enduser_ids
enroll_no	varchar(100)	No		Roll_no/enroll_no/employeeID of students for only excel_no 1034,1035,1040,1036
sms_sent	int(15)	No	0	1 Yes / 0 No
email_sent	int(15)	No	0	1 Yes / 0 No
status	varchar(50)	No		0= not initiated, 1 = opened, 2= partial verifications 3= completed
scheduled_verifications	varchar(50)	No		DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008
verification_done	varchar(100)	No		DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008
weblink_opened_on	datetime	No		
weblink_completed_on	datetime	No		
reminder_email	int(11)	No		1= daily 2= every alternate daty 0= No reminder(If value is 0 then except the welcome email no further reminder email will be shoot to the end user)
reminder_sms	int(11)	No		1= daily 2= every alternate daty 0= No reminder(If value is 0 then except the welcome email no further reminder email will be shoot to the end user)
payment_from	varchar(15)	No		1=wallet , 2= by the end user
value_1	varchar(100)	No		
value_2	varchar(100)	No		
value_3	varchar(100)	No		
value_4	varchar(100)	No		

Column	Type	Null	Default	Comments
value_5	varchar(100)	No		
value_6	varchar(100)	No		
additional_form	int(11)	No		1=yes,0=no

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	246	A	No	

bulk_upload_file_information_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(100)	No		
bulk_id	varchar(15)	No		its weblink_id, which will be generated once excel file is successfully uploaded
upload_id	varchar(15)	No		Note: uploaded_id will be generated on table: bulk_weblink_request_all and come here.
line_no	int(11)	No		
status	varchar(100)	No		1-validation_failed/2-success
excel_file	varchar(100)	No		excel file url along with its name
excel_file_uploaded_on	datetime	No		whenever the excel file is uploaded(either success or failed) this entry has to be come against upload_id and line_no combination.
excel_file_error	longtext	No		
generated_date	datetime	No		datetime
closed_date	datetime	No		
completed_date	datetime	No		
weblink_activated_from	datetime	No		datetime
weblink_valid_till	datetime	No		datetime
total_end_user	varchar(100)	No		count
total_partial_done	varchar(100)	No		count
total_completed	varchar(100)	No		count
paid_by	varchar(5)	No		1= Wallet 2= by End user
reminder_email	varchar(20)	No		1= daily 2= every alternate day 0= No reminder (If value is 0 then except the welcome email no further reminder email will be shoot to the end user)
reminder_sms	varchar(20)	No		1= daily 2= every alternate day 0= No reminder (If value is 0 then except the welcome email no further reminder email will be shoot to the end user)
total_amount	varchar(20)	No		if paid by wallet = total amt deducted by wallet and if type is end user then total amount paid by end users (SUM)
name1	varchar(50)	No		Name, DOB
type1	int(11)	No		1=varchar, 2=date, 3=int, 4=float, etc.
comp1	int(11)	No		0=optional, 1=compulsory
name2	varchar(50)	No		
type2	int(11)	No		
comp2	int(11)	No		
name3	varchar(50)	No		
type3	int(11)	No		
comp3	int(11)	No		
name4	varchar(50)	No		
type4	int(11)	No		
comp4	int(11)	No		
name5	varchar(50)	No		
type5	int(11)	No		
comp5	int(11)	No		
name6	varchar(50)	No		
type6	int(11)	No		
comp6	int(11)	No		
additional_form	int(11)	No		1=Yes, 0=NO

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	8	A	No	

bulk_weblink_request_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(100)	No		
upload_id	varchar(100)	No		Upload id
request_no	varchar(50)	No		its the no for the agency owner

Column	Type	Null	Default	Comments
status	int(2)	No		if weblink is generated then status is 1= initiated, if weblink excel is uploaded by admin then status is 2= generated, if weblink generated but not even one end user verified within end time then status is 3= Expired , if weblink is uploaded and pre closed by admin before end time then status is 4 = Pre-Close, if verification is done by every user then status is 5= completed, if weblink generated but some end user not verified within end time then status is 6= Closed. 7=backup_done
request_email_sent	datetime	No		
request_email_sent_to	longtext	No		CSV : example1@gmail.com, example2@gmail.com
upload_link	longtext	No		
upload_link_generated_on	datetime	No		
expired_date	datetime	No		
bulk_id	varchar(15)	No		generated only when excel is uplaoded successfully in table: bulk_upload_file_information_all
excel_no	int(20)	No		1036
obj_1	varchar(50)	No		name of the object (ex. student)
obj_1_verifications	varchar(50)	No		csv of verifications type (DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008)
obj_1_mi_amt	longtext	No		DVF-00001=amount+gst amount , DVF-00002= amount + gst amount
obj_1_addon_amount	longtext	No		DVF-00001= amount+gst amount – commission,(Commission is the 4% of the total sum amount (amount+gst). End user has to pay the Amount + gst amont + client_add_on_amount + commission amount)
obj_2	varchar(50)	No		name of the object (ex. Father)
obj_2_verifications	varchar(50)	No		csv of verifications type (DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008)
obj_2_mi_amt	longtext	No		DVF-00001=amount+gst amount , DVF-00002= amount + gst amount
obj_2_addon_amount	longtext	No		DVF-00001= amount+gst amount – commission,(Commission is the 4% of the total sum amount (amount+gst). End user has to pay the Amount + gst amont + client_add_on_amount + commission amount)
obj_3	varchar(50)	No		name of the object (ex. Mother, Guardian)
obj_3_verifications	varchar(50)	No		csv of verifications type (DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008)
obj_3_mi_amt	longtext	No		DVF-00001=amount+gst amount , DVF-00002= amount + gst amount
obj_3_addon_amount	longtext	No		DVF-00001= amount+gst amount – commission,(Commission is the 4% of the total sum amount (amount+gst). End user has to pay the Amount + gst amont + client_add_on_amount + commission amount)
tentative_amount	float	No		If payment for this weblink is from wallet and payment is low than current wallet balance then all total amount for this weblinkwill come in this column. should minus everytime whenever verification is done by any user.
name1	varchar(50)	No		Name, DOB
type1	int(11)	No		1=varchar, 2=date, 3=int, 4=float, etc
comp1	int(11)	No		0=optional, 1=compulsory
name2	varchar(50)	No		
type2	int(11)	No		
comp2	int(11)	No		
name3	varchar(50)	No		
type3	int(11)	No		
comp3	int(11)	No		
name4	varchar(50)	No		
type4	int(11)	No		
comp4	int(11)	No		
name5	varchar(50)	No		
type5	int(11)	No		
comp5	int(11)	No		
name6	varchar(50)	No		
type6	int(11)	No		
comp6	int(11)	No		
additional_form	int(11)	No		1=Yes, 0=NO

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	23	A	No	

collection_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	longtext	No		
location_id	longtext	No		
collection_id	longtext	No		
collected_from	int(11)	No		1/weblink/2-livelink/3-visitor
primary_id	varchar(15)	No		bulk_id, dutypost_id, live_link_id
secondary_id	varchar(15)	No		visitor_id,end_user_id,live_user_id
agency_share	float	No		single value in case of weblink,livelink in case of visitor may be X+Y (X-verification addon_charge + visiting charge)
agency_tax_amnt	float	No		
mi_share	float	No		
mi_tax_amt	float	No		
type	varchar(10)	No		I/C
invoice_nos	longtext	No		single value when type is I and CSV when type = C

Column	Type	Null	Default	Comments
collection_date	datetime	No		date of collection
inserted_on	datetime	No		date when data is entered {when type is C then above date and this date has difference else same date}

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	9	A	No	

construction_site_worker_header_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
worker_id	varchar(15)	No		
name	varchar(100)	No		
contact	varchar(13)	No		
login_code	int(6)	No		
gender	varchar(15)	No		
address	varchar(200)	No		
status	varchar(50)	No		
inserted_on	datetime	No		
blocked_or_removed_on	datetime	No		
blocked_or_removed_reason	longtext	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

crime_request_failed_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
primary_id	varchar(25)	No		
secondary_id	varchar(25)	No		in case of driver this will be empty
ecrime_request_id	varchar(100)	No		this is a request_id which we get when hitting ecrime api, and will be used to get the court cases data
client_id	longtext	No		this is a transation_id which we get from 3rd party when sending otp to aadhar and needed to pass when verifying it
crime_request_id	varchar(25)	No		it's unique id genrated from unique header all
crime_request_no	int(11)	No		unquire no from unique header all, and will be reference for client only
aadhar_number	int(11)	No		
otp	int(11)	No		
verified_on	datetime	No		
entered_name	varchar(40)	No		
entered_dob	date	No		
entered_address	longtext	No		
entered_co	varchar(100)	No		care of
entered_fathername	varchar(100)	No		
entry_type	int(11)	No		1=web link , 2= live link 3= driver 4= instant
inserted_on	datetime	No		
aadhar_fetched_on	datetime	No		
fetched_name	varchar(50)	No		
fetched_dob	date	No		
fetched_address	longtext	No		
fetched_co	varchar(100)	No		
fetched_img	longtext	No		
matched_status	int(11)	No		
ecrime_triggered_on	datetime	No		
ecrime_fetched	int(11)	No		0=no/1=yes
paid_by	int(11)	No		1-wallet/2-user
settled_amt	float	No		
settlement_status	int(11)	No		1-pending/2-settled
settled_in	int(11)	No		1-wallet/2-other mode
actual_paid_amt	float	No		
settled_to	varchar(50)	No		may be agency_id(when wallet), or liveyser_id/enduser_id/driver_id

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

crime_request_temp_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
primary_id	varchar(25)	No		
secondary_id	varchar(25)	No		in case of driver this will be empty
ecrime_request_id	varchar(100)	No		this is a request_id which we get when hitting ecrime api, and will be used to get the court cases data
client_id	longtext	No		this is a transation_id which we get from 3rd party when sending otp to aadhar and needed to pass when verifying it
crime_request_id	varchar(25)	No		it's unique id genrated from unique header all
crime_request_no	int(11)	No		unquire no from unique header all, and will be reference for client only
aadhar_number	int(11)	No		
otp	int(11)	No		
verified_on	datetime	No		
entered_name	varchar(40)	No		
entered_dob	date	No		
entered_address	longtext	No		
entered_co	varchar(100)	No		care of
entered_fathername	varchar(100)	No		
entry_type	int(11)	No		1=web link , 2= live link 3= driver 4= instant
requested_on	datetime	No		
aadhar_fetched_on	datetime	No		
fetched_name	varchar(50)	No		
fetched_dob	date	No		
fetched_address	longtext	No		
fetched_co	varchar(100)	No		
fetched_img	longtext	No		
matched_status	int(11)	No		
ecrime_triggered_on	datetime	No		
ecrime_fetched	int(11)	No		0-no/1=yes
paid_by	int(11)	No		1-wallet/2-user

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

device_activation_deactivation_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
dutypost_id	varchar(20)	No		
type	varchar(10)	No		1=activation/2=deactivation/3=lost
code	varchar(10)	No		
generated_on	datetime	No		
executed	int(1)	No		0-not executed/1-executed

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	30	A	No	

direct_aadhar_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		

Column	Type	Null	Default	Comments
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
aadhar_number	varchar(20)	No		
name	varchar(100)	No		
dob	date	No		
gender	text	No		
address	varchar(100)	No		
front_photo	longtext	No		
back_photo	longtext	No		
user_photo	longtext	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_athenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
entered_for	int(1)	No		1=construction 2=hotel 3=edu campus 4 =nbfc 5 = org
otp_count	int(11)	No		
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	20	A	No	

direct_criminal_record_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
direct_id	varchar(100)	No		
application_id	varchar(100)	No		
agency_id	varchar(100)	No		
location_id	varchar(100)	No		
admin_id	varchar(100)	No		
no_of_cases	int(11)	Yes	NULL	
criminal_status	varchar(50)	Yes	NULL	
line_no	int(11)	Yes	NULL	
case_1	varchar(100)	Yes	NULL	
case_2	varchar(100)	Yes	NULL	
case_3	varchar(100)	Yes	NULL	
case_4	varchar(100)	Yes	NULL	
case_5	varchar(100)	Yes	NULL	
case_6	varchar(100)	Yes	NULL	
case_7	varchar(100)	Yes	NULL	
case_8	varchar(100)	Yes	NULL	
case_9	varchar(100)	Yes	NULL	
case_10	varchar(100)	Yes	NULL	
case_11	varchar(100)	Yes	NULL	
case_12	varchar(100)	Yes	NULL	
case_13	varchar(100)	Yes	NULL	
case_14	varchar(100)	Yes	NULL	
case_15	varchar(100)	Yes	NULL	
case_16	varchar(100)	Yes	NULL	
case_17	varchar(100)	Yes	NULL	
case_18	varchar(100)	Yes	NULL	
case_19	varchar(100)	Yes	NULL	
case_20	varchar(100)	Yes	NULL	
case_21	varchar(100)	Yes	NULL	
case_22	varchar(100)	Yes	NULL	
case_23	varchar(100)	Yes	NULL	
case_24	varchar(100)	Yes	NULL	
case_25	varchar(100)	Yes	NULL	
case_26	varchar(100)	Yes	NULL	
case_27	varchar(100)	Yes	NULL	
case_28	varchar(100)	Yes	NULL	
case_29	varchar(100)	Yes	NULL	
case_30	varchar(100)	Yes	NULL	
case_31	varchar(100)	Yes	NULL	
case_32	varchar(100)	Yes	NULL	
case_33	varchar(100)	Yes	NULL	
case_34	varchar(100)	Yes	NULL	
case_35	varchar(100)	Yes	NULL	
case_36	varchar(100)	Yes	NULL	

Column	Type	Null	Default	Comments
case_37	varchar(100)	Yes	NULL	
case_38	varchar(100)	Yes	NULL	
case_39	varchar(100)	Yes	NULL	
case_40	varchar(100)	Yes	NULL	
case_41	varchar(100)	Yes	NULL	
case_42	varchar(100)	Yes	NULL	
case_43	varchar(100)	Yes	NULL	
case_44	varchar(100)	Yes	NULL	
case_45	varchar(100)	Yes	NULL	
case_46	varchar(100)	Yes	NULL	
case_47	varchar(100)	Yes	NULL	
case_48	varchar(100)	Yes	NULL	
case_49	varchar(100)	Yes	NULL	
case_50	varchar(100)	Yes	NULL	
case_51	varchar(100)	Yes	NULL	
case_52	varchar(100)	Yes	NULL	
case_53	varchar(100)	Yes	NULL	
case_54	varchar(100)	Yes	NULL	
case_55	varchar(100)	Yes	NULL	
case_56	varchar(100)	Yes	NULL	
case_57	varchar(100)	Yes	NULL	
case_58	varchar(100)	Yes	NULL	
case_59	varchar(100)	Yes	NULL	
case_60	varchar(100)	Yes	NULL	
case_61	varchar(100)	Yes	NULL	
case_62	varchar(100)	Yes	NULL	
case_63	varchar(100)	Yes	NULL	
case_64	varchar(100)	Yes	NULL	
case_65	varchar(100)	Yes	NULL	
case_66	varchar(100)	Yes	NULL	
case_67	varchar(100)	Yes	NULL	
case_68	varchar(100)	Yes	NULL	
case_69	varchar(100)	Yes	NULL	
case_70	varchar(100)	Yes	NULL	
case_71	varchar(100)	Yes	NULL	
case_72	varchar(100)	Yes	NULL	
case_73	varchar(100)	Yes	NULL	
case_74	varchar(100)	Yes	NULL	
case_75	varchar(100)	Yes	NULL	
case_76	varchar(100)	Yes	NULL	
case_77	varchar(100)	Yes	NULL	
case_78	varchar(100)	Yes	NULL	
case_79	varchar(100)	Yes	NULL	
case_80	varchar(100)	Yes	NULL	
case_81	varchar(100)	Yes	NULL	
case_82	varchar(100)	Yes	NULL	
case_83	varchar(100)	Yes	NULL	
crime_file_details	text	Yes	NULL	
date_of_insertion	datetime	Yes	NULL	
data_provider	varchar(50)	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Columnn	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

direct_dl_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2

Column	Type	Null	Default	Comments
dl_number	varchar(20)	No		
name	varchar(20)	No		
father_name	varchar(20)	No		
address	varchar(100)	No		
dob	date	No		
date_of_expiry	date	No		
date_of_issue	date	No		
classes_of_vehicle	varchar(20)	No		Classes of Vehicles(LMV,MCWG, etc)
state_name	text	No		
blood_group	varchar(20)	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_authenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
authenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	70	A	No	

direct_international_passport_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
passport_number	varchar(20)	No		
surname	text	No		
name	text	No		
gender	text	No		
dob	date	No		
place_of_birth	text	No		
father_name	text	No		
mother_name	text	No		
spouse_name	text	No		
address	varchar(100)	No		
republic_of_india	text	No		
date_of_issue	date	No		
date_of_expiry	date	No		
place_of_issue	varchar(20)	No		
country_code	int(10)	No		
nationality	text	No		
passport_type	text	No		
file_number	text	No		
cover_photo	longtext	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
visa_photo	longtext	No		
landing_date	date	No		
visa_validity	date	No		
country	varchar(50)	No		
visa_type	varchar(100)	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_authenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
authenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

direct_pan_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
pan_number	varchar(20)	No		
name	text	No		
father_name	text	No		father/husband name
dob	date	No		
user_photo	longtext	No		
front_photo	longtext	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_athenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
gender	varchar(12)	No		
address	longtext	No		
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	232	A	No	

direct_passport_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
passport_number	varchar(20)	No		
surname	text	No		
name	text	No		
gender	text	No		
dob	date	No		
place_of_birth	text	No		
father_name	text	No		
mother_name	text	No		
spouse_name	text	No		
address	varchar(100)	No		
republic_of_india	text	No		
date_of_issue	date	No		
date_of_expiry	date	No		
place_of_issue	varchar(20)	No		
country_code	int(10)	No		
nationality	text	No		
passport_type	text	No		
file_number	text	No		
cover_photo	longtext	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_athenticate	int(11)	No		1=yes, 0=no data will come only when generated_by is Manually = 2

Column	Type	Null	Default	Comments
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	26	A	No	

direct_verification_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
verification_id	varchar(100)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
linked_table	varchar(100)	No		Name of the table in which detailed data is stored
deducted_base_amount	float	No		Base amount deducted from wallet
sgst_amount	float	No		
cgst_amount	float	No		
invoice_sent	int(11)	No		0= Not sent , 1 = sent
invoice_url	longtext	No		
report_url	longtext	No		
source_from	int(10)	No		1=construction 2=hotel 3=edu campus 4 =nbfc 5 = org
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_athenticate	int(11)	No	0	1=yes, 0=no data will come only when generated_by is Manually = 2
ambiguity	varchar(100)	No		
entered_for	int(1)	No		1= once in 24hrs, 2= per verification

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	21	A	No	

direct_voter_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(25)	No		
location_id	varchar(100)	No		
admin_id	varchar(25)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		
voter_number	varchar(100)	No		
name	text	No		
dob	date	No		
gender	text	No		
father_name	text	No		father/guardian name
address	longtext	No		
polling_details	varchar(100)	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
generated_by	int(11)	No	1	1= OCR, 2= Manually
is_athenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	21	A	No	

dutypost_header_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
dutypost_id	varchar(20)	No		
dutypost_name	varchar(100)	No		
operational_from	date	No		
inserted_on	datetime	No		
status	varchar(50)	No		1 - active, 2- close, 3- suspended
close_from	date	No		
close_reason	longtext	No		
place_for	varchar(50)	No		
allocated_guards	longtext	No		guard admin ids
device_allocated	int(1)	No		0=not allocated/1=allocated
total_amt_from_wallet	varchar(20)	No		
total_amt_from_visitor	varchar(20)	No		
visitor_in_count	varchar(20)	No		

Indexes

Keyname	Type	Unique	Packed	Columnn	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	42	A	No	

dutypost_setting_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
dutypost_id	varchar(20)	No		
line_no	int(10)	No		for every change in setting against agency->location, new line will be inserted
inserted_on	datetime	No	current_timestamp()	
valid_till	datetime	No		
printer_provided	int(11)	No		1=Yes, 0=No
visitor_approval_required	int(11)	No	0	1=Yes, 0=No, 2=depend on employee
visitor_verification_required	int(11)	No	0	1=Yes, 0=No
verification_amt	float	No	0	
amt_paid_by	int(1)	No		1=agency wallet, 2 = by end user (visitor)
visiting_charges	float	No	0	if 0, it means no visiting charges is applied
visiting_hours	varchar(30)	No		from_time=to_time
operation_time	varchar(30)	No		
available_verifications_for_visitor	varchar(100)	No		DVF-00001-aadhaar/DVF-00002-pan/DVF-00003-voter/DVF-00004-DL/DVF-00005-passport data here can be in CSV (DVF-00001,DVF-00002,DVF-00004)
visitor_request_link_expires_in	int(11)	No		if above visitor approval required is yes then store value here (in mimnutes), if nothing then store 999 here
visitor_pass_valid_upto	int(11)	No		in minutes
initial_free_visits	int(11)	No		default 0
re_visiting_interval	int(11)	No		in days (max 2 digits 3 month 90 days) if 0 means pay per visit
re_verification_interval	int(11)	No		re_verification_interval
visiting_charges_refundable	int(11)	No		0/1 [1- only when paid by end user and setting set to 1]
verification_charges_refundable	int(11)	No		0/1 [1- only when paid by end user and setting set to 1]
entry_exit	int(11)	No		1-entry/2-exit/3-both

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	42	A	No	

edited_direct_aadhar_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		

Column	Type	Null	Default	Comments
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
aadhar_number	varchar(20)	No		
name	varchar(20)	No		
dob	date	No		
gender	text	No		
address	varchar(100)	No		
front_photo	longtext	No		
back_photo	longtext	No		
user_photo	longtext	No		
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
generated_by	int(11)	No		
is_authenticate	int(11)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	9	A	No	

edited_direct_dl_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
dl_number	varchar(20)	No		
name	varchar(20)	No		
father_name	varchar(20)	No		
address	varchar(100)	No		
dob	date	No		
date_of_expiry	date	No		
date_of_issue	date	No		
classes_of_vehicle	varchar(20)	No		Classes of Vehicles(LMV,MCWG, etc)
state_name	text	No		
blood_group	varchar(20)	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
generated_by	int(11)	No		
is_authenticate	int(11)	No		
entered_for	int(11)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	32	A	No	

edited_direct_international_passport_details_all

Column	Type	Null	Default	Comments
id	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
passport_number	varchar(20)	No		
surname	text	No		

Column	Type	Null	Default	Comments
name	text	No		
gender	text	No		
dob	date	No		
place_of_birth	text	No		
father_name	text	No		
mother_name	text	No		
spouse_name	text	No		
address	varchar(100)	No		
republic_of_india	text	No		
date_of_issue	date	No		
date_of_expiry	date	No		
place_of_issue	varchar(20)	No		
country_code	int(10)	No		
nationality	text	No		
type	text	No		
file_number	text	No		
cover_photo	longtext	No		
user_photo	longtext	No		
front_detail_photo	longtext	No		
back_detail_photo	longtext	No		
visa_photo	longtext	No		
landing_date	date	No		
visa_validity	date	No		
country	varchar(50)	No		
visa_type	varchar(100)	No		
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
authenticated_on	datetime	No		

No index defined!

edited_direct_pan_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=1, verified=2, not verified=2
pan_number	varchar(20)	No		
name	text	No		
father_name	text	No		father/husband name
dob	date	No		
user_photo	longtext	No		
front_photo	longtext	No		
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
is_authenticate	int(11)	No		
gender	varchar(15)	No		
address	longtext	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	49	A	No	

edited_direct_passport_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
direct_id	varchar(25)	No		
application_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		

Column	Type	Null	Default	Comments
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
passport_number	varchar(20)	No		
surname	text	No		
name	text	No		
gender	text	No		
dob	date	No		
place_of_birth	text	No		
father_name	text	No		
mother_name	text	No		
spouse_name	text	No		
address	varchar(100)	No		
republic_of_india	text	No		
date_of_issue	date	No		
date_of_expiry	date	No		
place_of_issue	varchar(20)	No		
country_code	int(10)	No		
nationality	text	No		
passport_type	text	No		
file_number	text	No		
cover_photo	longtext	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
generated_by	int(11)	No		1=OCR, 2=Manually
is_athenticate	int(11)	No		1=yes, 0=no data will come only when generated_by is Manually = 2
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	20	A	No	

edited_direct_voter_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
direct_id	varchar(10)	No		
application_id	varchar(10)	No		
agency_id	varchar(10)	No		
location_id	varchar(100)	No		
admin_id	varchar(10)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		
voter_number	varchar(100)	No		
name	text	No		
dob	date	No		
gender	text	No		
father_name	text	No		father/guardian name
address	varchar(100)	No		
polling_details	varchar(100)	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
entered_for	int(1)	No		1=construction_worker/2=teacher/3=visitor
generated_by	int(11)	No		1= OCR, 2= Manually
is_athenticate	int(11)	No		1=yes, 0=no data will come only when generated_by is Manually = 2
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	12	A	No	

email_schudlar_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
email_subject	varchar(150)	No		
email_for	varchar(200)	No		module/process name or discription
email_ids	longtext	No		
email_body	longtext	No		
status	int(11)	No		1-not sent/2-sent
inserted_on	datetime	No		
executed_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	

employee_excel_link_details_all

Table comments: *this table is used to upload employee list through excel*

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(20)	No		
emp_upload_id	varchar(15)	No		
excel_link_url	longtext	No		url which is send in email to upload excel
email_ids	longtext	No		CSV
uploaded_excel_url	longtext	No		the successful excel url
function_for	int(11)	No		1-append/2-replace/3-remove
link_generated_on	datetime	No		
link_valid_till	datetime	No		
status	int(11)	No		1=active, 0=inactive

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	15	A	No	

employee_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(20)	No		
emp_id	varchar(15)	No		
emp_code	varchar(100)	No		
name	varchar(100)	No		
contact	varchar(12)	No		
department	varchar(50)	No		
designation	varchar(50)	No		
email_id	varchar(100)	No		
status	varchar(2)	No	1	0-inactive/1-active
visitor_approval_required	int(11)	No		0-no/1-yes
visiting_charges	int(11)	No		0-no/1-yes
verification_paid_by	int(11)	No		1-Wallet 2-end user
inserted_on	datetime	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	15	A	No	

employee_upload_file_information_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(100)	No		
emp_upload_id	varchar(15)	No		its the id, which will be generated once excel file is successfully uploaded
line_no	int(11)	No		
status	varchar(100)	No		1-validation_failed/2-success

Column	Type	Null	Default	Comments
excel_file	varchar(100)	No		excel file url along with its name
excel_file_uploaded_on	datetime	No		whenever the excel file is uploaded(either success of failed) this entry has to be come against uplaod_id and line_no combination.
excel_file_error	longtext	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	

end_user_payment_transaction_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
end_user_id	varchar(100)	No		entry in CSV if payment id paid for multiple user eg: END-00001, END-00002, END-00003
paid_transaction_id	varchar(100)	No		
paid_by	varchar(100)	No		end_user_id who has done this payment
gateway_transaction_id	varchar(100)	No		from razorpay id
status	varchar(100)	No		
gst_number	varchar(100)	No		
paid_amount	float	No		
cgst_amount	float	No		
sgst_amount	float	No		
mi_amount	float	No		companies amount(micro integrated)
mi_cgst_amount	float	No		
mi_sgst_amount	float	No		
agency_amount	float	No		
agency_cgst_amount	float	No		
agency_sgst_amount	float	No		
inserted_on	datetime	No		
bulk_id	varchar(100)	No		
invoice_url	longtext	No		
verification_id	longtext	No		verification ids like DVF-00001, DVF-00002, etc
payment_type	int(11)	No		1=W, 2=E

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

end_user_verification_transaction_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(15)	No		
weblink_id	varchar(100)	No		
end_user_id	varchar(100)	No		
aadhar_number	text	No		
otp_count	int(11)	No		
first_name	text	No		
last_name	text	No		
mobile_number	float	No		
email_id	varchar(50)	No		
pan_number	text	No		
dl_number	text	No		
voter_number	text	No		
passport_number	text	No		
aadhar_ambiguity	longtext	No		ok= all ok, else name=not match, address=not match, etc
pan_ambiguity	longtext	No		
dl_ambiguity	longtext	No		
voter_ambiguity	longtext	No		
passport_ambiguity	longtext	No		
document_type	varchar(25)	No		DVF-00001=Aadhar DVF-00002=Pan DVF-00004=DL DVF-00005=Voter DVF-00006=Passport
father_name	text	No		
mother_name	text	No		
spouse_name	text	No		
gender	text	No		
dob	datetime	No		

Column	Type	Null	Default	Comments
blood_group	text	No		
address	text	No		
country_code	text	No		
state_name	text	No		
nationality	text	No		
front_photo	text	No		
back_photo	text	No		
user_photo	text	No		
cover_photo	text	No		
date_of_issue	text	No		
date_of_expiry	text	No		
place_of_issue	text	No		
classes_of_vehicle	text	No		Classes of Vehicles(LMV,MCWG, etc)
polling_details	text	No		
republic_of_india	text	No		
passport_type	text	No		
file_number	text	No		
initiated_on	datetime	No		
completed_on	datetime	No		
report_url	varchar(255)	No		
activity_status	int(11)	No		Initated=1, verified=2, not verified=3
pan_cibil_otp	int(11)	No		
cibil_score	int(11)	No		
cibil_report_url	longtext	No		
cibil_type	int(11)	No		1-score/2-report
ecrime	int(11)	No		0-no/1-yes
case_count	int(11)	No		may be or or no of cases found
text_file_url	longtext	No		
ecrime_sp_id	varchar(20)	No		service_provider_id
ecrime_threat_level	int(11)	No		1-low/2-moderate/3-critically high

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	

factory_setting_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
digital_verification	int(10)	No		ON/OFF
main_power_switch	int(10)	No		1=ON/0=OFF, if it is off then user cannot login to app.
power_switch_message	varchar(200)	No		reason for making application off.
pause_switch	int(11)	No		1=pause, 0=unpaused
pause_message	varchar(500)	No		Pause message which user will see after registration
maximum_permitted_user	int(10)	No	1	no_of_users_permitted. Maximum user(agency) will be 4
multiple_role_permitted	int(11)	No		1=Yes/0=No
maximum_no_allotment	int(100)	No		maximum number of role allotment can extend till 2-10
max_permitted_admin	int(100)	No	1	max 1-10 extra admin can allot... the original admin is the registered one with application
first_offer_amount	int(11)	No	0	if there is a change in amount then current download count will be restore to 0
first_offer_validity	datetime	No		if there is a change in validity then ask admin - do u want to reinitialize the current download count to 0 ?
first_offer_count	int(11)	No	0	
first_current_downloads	int(5)	No		
first_offer_image	varchar(100)	No		
second_offer_amount	int(11)	No	0	
second_offer_validity	datetime	No		
second_offer_count	int(11)	No	0	
second_current_downloads	int(5)	No		
second_offer_image	varchar(100)	No		
default_welcome_image	varchar(100)	No		
daily_images	longtext	No		1~image_1_url,2~imgae_2_url,3~image_url_3 (CSV)
instant_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
visitor_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
weblink_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am), 4=after weblink close
livelink_verification_report	int(11)	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
instant_ambiguity_report	int(11)	No		2=per transaction(per verification), 3=daily(at 12 am)
visitor_ambiguity_report	int(11)	No		1=not required, 2=per transaction(per verification), 3=daily(at 12 am)
weblink_ambiguity_report	int(11)	No		2=per transaction(per verification), 3=daily(at 12 am)

Column	Type	Null	Default	Comments
livelink_ambiguity_report	int(11)	No		2=per transaction(per verification), 3=daily(at 12 am)
daily_instant_report	int(11)	No		1=Y/0=N
daily_visitor_report	int(11)	No		1=Y/0=N
daily_weblink_report	int(11)	No		1=Y/0=N
daily_livelink_report	int(11)	No		1=Y/0=N
visitor_approval_required	int(11)	No		1=Yes, 0=No, 2=depend on employee
visitor_request_link_expires_in	int(11)	No		if above col is Y then store value here (in mimnutes)
visitor_verification_required	int(11)	No	0	1=Yes, 0=No
verification_amt	int(11)	No		
amt_paid_by	int(11)	No		1=agency wallet, 2 = by end user (visitor)
visiting_charges	int(11)	No		if 0, it means no visiting charges is applied
visiting_hours	varchar(20)	No		from_time=to_time eg:10:00=20:00
visitor_pass_valid_upto	int(11)	No		
weblink_paid_by	int(11)	No		1-wallet/2-enduser/3-any of them/0-weblink is not permitted
visitor_module	int(11)	No		1=yes/0-no
initial_free_visits	int(11)	No		default 0
re_visiting_interval	int(11)	No		in days (max 2 digits 3 month 90 days) if 0 means pay per visit
re_verification_interval	int(11)	No		in days (max 365) if 0 means pay per visit
visiting_charges_refundable	int(11)	No		0/1 [1- only when paid by end user and setting set to 1]
verification_charges_refundable	int(11)	No		0/1 [1- only when paid by end user and setting set to 1]
available_verifications_for_visitor	varchar(100)	No		DVF-00001-aadhaar/DVF-00002-pan/DVF-00003-voter/DVF-00004-DL/DVF-00005-passport data here can be in CSV (DVF-00001,DVF-00002,DVF-00004)
reminder_for_weblink_user	int(11)	No		payment done, but verification pending, then sent reminder 0-no/1-yes
reminder_interval	int(11)	No		days
uploadlink_expires_in	int(11)	No		count in days
employee_link_expires_in	int(11)	No		count in days
claim_settlement_percentage	int(11)	No		How much can agency claim for payment settlements in percentage eg: if it is written 80 then it will be considered as 80%
claim_interval	int(11)	No		Claim request interval eg: if it is written 2 then request can be generate again after 2 days of settlement, for all modules.
max_weblink_addon_amt	float	No		maximum addon which can be added, it may be 0 but cannot exceed this limit
max_livelink_addon_amt	float	No		maximum addon which can be added, it may be 0 but cannot exceed this limit
max_visiting_addon_amt	float	No		maximum addon which can be added, it may be 0 but cannot exceed this limit
max_visitor_verification_addon_amt	float	No		maximum addon which can be added, it may be 0 but cannot exceed this limit
max_event_amt	float	No		maximum addon which can be added, it may be 0 but cannot exceed this limit
max_per_day_visitor	int(11)	No		maximum no. of visits allowed in a day
weekoff	varchar(50)	No		1,2,3,4,5,6,7

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	

form_contract_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
from_id	varchar(20)	No		
process_id	varchar(20)	No		
contract_link	longtext	No		
status	int(10)	No		1=active/0=deactive
from_date	date	No		
to_date	date	No		
contract_id	varchar(20)	No		
line_number	int(11)	No		
contract_file	text	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	4	A	No	

form_process_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
form_id	varchar(20)	No		form_id
process_ids	longtext	No		CSV of process_ids
status	int(20)	No		1=active/0=deactive

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	17	A	No	

help_and_support_category_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
application_id	varchar(255)	No		
application_name	varchar(255)	No		
cat_id	varchar(255)	No		
category_name	varchar(255)	No		
status	varchar(10)	No		0-active 1-deactive
create_on	datetime	No		
row_for	varchar(20)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	13	A	No	

help_and_support_generate_ticket

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
application_id	varchar(255)	No		
category_id	varchar(255)	No		
issue_id	varchar(255)	No		
ticket_id	varchar(255)	No		
user_id	varchar(255)	No		
society_id	varchar(50)	No		
user_type	varchar(1000)	No		
chat1	varchar(1000)	No		0-ticket initiate datetime / 1 reply-answer-datetime 15limit for column
chat2	varchar(1000)	No		
status	varchar(255)	No		0-active 1-deactive
generate_date_time	datetime	No		
last_action_date_time	datetime	No		
taken_by_action	varchar(1000)	Yes	NULL	
request_city_id	varchar(400)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	

help_and_support_issue_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
application_id	varchar(255)	No		
cat_id	varchar(255)	No		
issue_id	varchar(355)	No		
issue_name	varchar(255)	No		
status	int(11)	No		0-active 1-deactive
created_on	date	No		
general_issues	varchar(1000)	No		
row_for	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	25	A	No	

help_and_support_videos_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
video_id	varchar(15)	No		
title	varchar(500)	No		
description	longtext	No		
video_url	longtext	No		

Column	Type	Null	Default	Comments
status	varchar(25)	No		1 active 2 inactive
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	

instant_backup_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(15)	No		
verification_date	date	No		date of verification
business_area	int(11)	No		1-guest/2-worker/3-employee
line_no	int(11)	No		0 - master data
total_paid_by_wallet	varchar(100)	No		
no_of_direct	int(11)	No		total count fo a day (against business area)
direct_1	longtext	No		
direct_2	longtext	Yes	NULL	
direct_3	longtext	Yes	NULL	
direct_4	longtext	Yes	NULL	
direct_5	longtext	Yes	NULL	
direct_6	longtext	Yes	NULL	
direct_7	longtext	Yes	NULL	
direct_8	longtext	Yes	NULL	
direct_9	longtext	Yes	NULL	
direct_10	longtext	Yes	NULL	
direct_11	longtext	Yes	NULL	
direct_12	longtext	Yes	NULL	
direct_13	longtext	Yes	NULL	
direct_14	longtext	Yes	NULL	
direct_15	longtext	Yes	NULL	
direct_16	longtext	Yes	NULL	
direct_17	longtext	Yes	NULL	
direct_18	longtext	Yes	NULL	
direct_19	longtext	Yes	NULL	
direct_20	longtext	Yes	NULL	
direct_21	longtext	Yes	NULL	
direct_22	longtext	Yes	NULL	
direct_23	longtext	Yes	NULL	
direct_24	longtext	Yes	NULL	
direct_25	longtext	Yes	NULL	
direct_26	longtext	Yes	NULL	
direct_27	longtext	Yes	NULL	
direct_28	longtext	Yes	NULL	
direct_29	longtext	Yes	NULL	
direct_30	longtext	Yes	NULL	
direct_31	longtext	Yes	NULL	
direct_32	longtext	Yes	NULL	
direct_33	longtext	Yes	NULL	
direct_34	longtext	Yes	NULL	
direct_35	longtext	Yes	NULL	
direct_36	longtext	Yes	NULL	
direct_37	longtext	Yes	NULL	
direct_38	longtext	Yes	NULL	
direct_39	longtext	Yes	NULL	
direct_40	longtext	Yes	NULL	
direct_41	longtext	Yes	NULL	
direct_42	longtext	Yes	NULL	
direct_43	longtext	Yes	NULL	
direct_44	longtext	Yes	NULL	
direct_45	longtext	Yes	NULL	
direct_46	longtext	Yes	NULL	
direct_47	longtext	Yes	NULL	
direct_48	longtext	Yes	NULL	
direct_49	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
direct_50	longtext	Yes	NULL	
direct_51	longtext	Yes	NULL	
direct_52	longtext	Yes	NULL	
direct_53	longtext	Yes	NULL	
direct_54	longtext	Yes	NULL	
direct_55	longtext	Yes	NULL	
direct_56	longtext	Yes	NULL	
direct_57	longtext	Yes	NULL	
direct_58	longtext	Yes	NULL	
direct_59	longtext	Yes	NULL	
direct_60	longtext	Yes	NULL	
direct_61	longtext	Yes	NULL	
direct_62	longtext	Yes	NULL	
direct_63	longtext	Yes	NULL	
direct_64	longtext	Yes	NULL	
direct_65	longtext	Yes	NULL	
direct_66	longtext	Yes	NULL	
direct_67	longtext	Yes	NULL	
direct_68	longtext	Yes	NULL	
direct_69	longtext	Yes	NULL	
direct_70	longtext	Yes	NULL	
direct_71	longtext	Yes	NULL	
direct_72	longtext	Yes	NULL	
direct_73	longtext	Yes	NULL	
direct_74	longtext	Yes	NULL	
direct_75	longtext	Yes	NULL	
direct_76	longtext	Yes	NULL	
direct_77	longtext	Yes	NULL	
direct_78	longtext	Yes	NULL	
direct_79	longtext	Yes	NULL	
direct_80	longtext	Yes	NULL	
direct_81	longtext	Yes	NULL	
direct_82	longtext	Yes	NULL	
direct_83	longtext	Yes	NULL	
direct_84	longtext	Yes	NULL	
direct_85	longtext	Yes	NULL	
direct_86	longtext	Yes	NULL	
direct_87	longtext	Yes	NULL	
direct_88	longtext	Yes	NULL	
direct_89	longtext	Yes	NULL	
direct_90	longtext	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	

internal_mgmt_table

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
table_name	varchar(20)	No		
reserve_row_count	varchar(20)	No		
hold_row_count	varchar(20)	No		process will be stopped when current_count reaches equal to this column
current_row_count	varchar(20)	No		
alert_generated_details	longtext	No		datetime=R/B CSV... R=Reserve/B=block
alert_contacts	longtext	No		CSV
alert_emails	longtext	No		CSV

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

invoice_backup_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		

Column	Type	Null	Default	Comments
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
generated_from	int(11)	No		1-weblink/2-visitor/
primary_id	varchar(20)	No		
line_no	int(11)	No		
user_details_1	longtext	No		
user_details_2	longtext	Yes	NULL	
user_details_3	longtext	Yes	NULL	
user_details_4	longtext	Yes	NULL	
user_details_5	longtext	Yes	NULL	
user_details_6	longtext	Yes	NULL	
user_details_7	longtext	Yes	NULL	
user_details_8	longtext	Yes	NULL	
user_details_9	longtext	Yes	NULL	
user_details_10	longtext	Yes	NULL	
user_details_11	longtext	Yes	NULL	
user_details_12	longtext	Yes	NULL	
user_details_13	longtext	Yes	NULL	
user_details_14	longtext	Yes	NULL	
user_details_15	longtext	Yes	NULL	
user_details_16	longtext	Yes	NULL	
user_details_17	longtext	Yes	NULL	
user_details_18	longtext	Yes	NULL	
user_details_19	longtext	Yes	NULL	
user_details_20	longtext	Yes	NULL	
user_details_21	longtext	Yes	NULL	
user_details_22	longtext	Yes	NULL	
user_details_23	longtext	Yes	NULL	
user_details_24	longtext	Yes	NULL	
user_details_25	longtext	Yes	NULL	
user_details_26	longtext	Yes	NULL	
user_details_27	longtext	Yes	NULL	
user_details_28	longtext	Yes	NULL	
user_details_29	longtext	Yes	NULL	
user_details_30	longtext	Yes	NULL	
user_details_31	longtext	Yes	NULL	
user_details_32	longtext	Yes	NULL	
user_details_33	longtext	Yes	NULL	
user_details_34	longtext	Yes	NULL	
user_details_35	longtext	Yes	NULL	
user_details_36	longtext	Yes	NULL	
user_details_37	longtext	Yes	NULL	
user_details_38	longtext	Yes	NULL	
user_details_39	longtext	Yes	NULL	
user_details_40	longtext	Yes	NULL	
user_details_41	longtext	Yes	NULL	
user_details_42	longtext	Yes	NULL	
user_details_43	longtext	Yes	NULL	
user_details_44	longtext	Yes	NULL	
user_details_45	longtext	Yes	NULL	
user_details_46	longtext	Yes	NULL	
user_details_47	longtext	Yes	NULL	
user_details_48	longtext	Yes	NULL	
user_details_49	longtext	Yes	NULL	
user_details_50	longtext	Yes	NULL	
user_details_51	longtext	Yes	NULL	
user_details_52	longtext	Yes	NULL	
user_details_53	longtext	Yes	NULL	
user_details_54	longtext	Yes	NULL	
user_details_55	longtext	Yes	NULL	
user_details_56	longtext	Yes	NULL	
user_details_57	longtext	Yes	NULL	
user_details_58	longtext	Yes	NULL	
user_details_59	longtext	Yes	NULL	
user_details_60	longtext	Yes	NULL	
user_details_61	longtext	Yes	NULL	
user_details_62	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
user_details_63	longtext	Yes	NULL	
user_details_64	longtext	Yes	NULL	
user_details_65	longtext	Yes	NULL	
user_details_66	longtext	Yes	NULL	
user_details_67	longtext	Yes	NULL	
user_details_68	longtext	Yes	NULL	
user_details_69	longtext	Yes	NULL	
user_details_70	longtext	Yes	NULL	
user_details_71	longtext	Yes	NULL	
user_details_72	longtext	Yes	NULL	
user_details_73	longtext	Yes	NULL	
user_details_74	longtext	Yes	NULL	
user_details_75	longtext	Yes	NULL	
user_details_76	longtext	Yes	NULL	
user_details_77	longtext	Yes	NULL	
user_details_78	longtext	Yes	NULL	
user_details_79	longtext	Yes	NULL	
user_details_80	longtext	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

invoice_header_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
type	varchar(10)	No		I/C
generated_from	int(11)	No		1-weblink/2-livelink/3-instant/4-visitor
payment_type	varchar(30)	No		wallet/transfer
invoice_no	varchar(40)	No		
primary_id	varchar(15)	No		weblink_id/livelink_id/ [can be empty]
secondary_id	varchar(15)	No		end_user_id [can be empty]
from_party	varchar(50)	No	mtss	mtss
to_party	varchar(50)	No		end user/agency/live user/visitor
inserted_on	datetime	No		
transfer_type	varchar(50)	No		Dr/Cr (debit/credit)
total_amt	varchar(100)	No		
tax	varchar(100)	No		
grand_total	varchar(100)	No		
file_no	varchar(50)	No		
file_url	longtext	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	4	A	No	

livelink_backup_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(15)	No		
livelink_id	varchar(15)	No		
line_no	int(11)	No		0 - master data
verification_date	date	No		date of verification
total_agency_collection	varchar(100)	No		
total_paid_by_wallet	varchar(100)	No		
no_of_live_user	int(11)	No		
group_1	longtext	No		group wise
group_2	longtext	Yes	NULL	
group_3	longtext	Yes	NULL	
group_4	longtext	Yes	NULL	
group_5	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
group_6	longtext	Yes	NULL	
group_7	longtext	Yes	NULL	
group_8	longtext	Yes	NULL	
group_9	longtext	Yes	NULL	
group_10	longtext	Yes	NULL	
group_11	longtext	Yes	NULL	
group_12	longtext	Yes	NULL	
group_13	longtext	Yes	NULL	
group_14	longtext	Yes	NULL	
group_15	longtext	Yes	NULL	
group_16	longtext	Yes	NULL	
group_17	longtext	Yes	NULL	
group_18	longtext	Yes	NULL	
group_19	longtext	Yes	NULL	
group_20	longtext	Yes	NULL	
group_21	longtext	Yes	NULL	
group_22	longtext	Yes	NULL	
group_23	longtext	Yes	NULL	
group_24	longtext	Yes	NULL	
group_25	longtext	Yes	NULL	
group_26	longtext	Yes	NULL	
group_27	longtext	Yes	NULL	
group_28	longtext	Yes	NULL	
group_29	longtext	Yes	NULL	
group_30	longtext	Yes	NULL	
group_31	longtext	Yes	NULL	
group_32	longtext	Yes	NULL	
group_33	longtext	Yes	NULL	
group_34	longtext	Yes	NULL	
group_35	longtext	Yes	NULL	
group_36	longtext	Yes	NULL	
group_37	longtext	Yes	NULL	
group_38	longtext	Yes	NULL	
group_39	longtext	Yes	NULL	
group_40	longtext	Yes	NULL	
group_41	longtext	Yes	NULL	
group_42	longtext	Yes	NULL	
group_43	longtext	Yes	NULL	
group_44	longtext	Yes	NULL	
group_45	longtext	Yes	NULL	
group_46	longtext	Yes	NULL	
group_47	longtext	Yes	NULL	
group_48	longtext	Yes	NULL	
group_49	longtext	Yes	NULL	
group_50	longtext	Yes	NULL	
group_51	longtext	Yes	NULL	
group_52	longtext	Yes	NULL	
group_53	longtext	Yes	NULL	
group_54	longtext	Yes	NULL	
group_55	longtext	Yes	NULL	
group_56	longtext	Yes	NULL	
group_57	longtext	Yes	NULL	
group_58	longtext	Yes	NULL	
group_59	longtext	Yes	NULL	
group_60	longtext	Yes	NULL	
group_61	longtext	Yes	NULL	
group_62	longtext	Yes	NULL	
group_63	longtext	Yes	NULL	
group_64	longtext	Yes	NULL	
group_65	longtext	Yes	NULL	
group_66	longtext	Yes	NULL	
group_67	longtext	Yes	NULL	
group_68	longtext	Yes	NULL	
group_69	longtext	Yes	NULL	
group_70	longtext	Yes	NULL	
group_71	longtext	Yes	NULL	
group_72	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
group_73	longtext	Yes	NULL	
group_74	longtext	Yes	NULL	
group_75	longtext	Yes	NULL	
group_76	longtext	Yes	NULL	
group_77	longtext	Yes	NULL	
group_78	longtext	Yes	NULL	
group_79	longtext	Yes	NULL	
group_80	longtext	Yes	NULL	
group_81	longtext	Yes	NULL	
group_82	longtext	Yes	NULL	
group_83	longtext	Yes	NULL	
group_84	longtext	Yes	NULL	
group_85	longtext	Yes	NULL	
group_86	longtext	Yes	NULL	
group_87	longtext	Yes	NULL	
group_88	longtext	Yes	NULL	
group_89	longtext	Yes	NULL	
group_90	longtext	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

livelink_crime_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
livelink_id	varchar(15)	No		
liveuser_id	varchar(15)	No		
no_of_cases	int(11)	Yes	NULL	
criminal_status	varchar(50)	Yes	NULL	
line_no	int(11)	Yes	NULL	
case_1	longtext	Yes	NULL	
case_2	longtext	Yes	NULL	
case_3	longtext	Yes	NULL	
case_4	longtext	Yes	NULL	
case_5	longtext	Yes	NULL	
case_6	longtext	Yes	NULL	
case_7	longtext	Yes	NULL	
case_8	longtext	Yes	NULL	
case_9	longtext	Yes	NULL	
case_10	longtext	Yes	NULL	
case_11	longtext	Yes	NULL	
case_12	longtext	Yes	NULL	
case_13	longtext	Yes	NULL	
case_14	longtext	Yes	NULL	
case_15	longtext	Yes	NULL	
case_16	longtext	Yes	NULL	
case_17	longtext	Yes	NULL	
case_18	longtext	Yes	NULL	
case_19	longtext	Yes	NULL	
case_20	longtext	Yes	NULL	
case_21	longtext	Yes	NULL	
case_22	longtext	Yes	NULL	
case_23	longtext	Yes	NULL	
case_24	longtext	Yes	NULL	
case_25	longtext	Yes	NULL	
case_26	longtext	Yes	NULL	
case_27	longtext	Yes	NULL	
case_28	longtext	Yes	NULL	
case_29	longtext	Yes	NULL	
case_30	longtext	Yes	NULL	
case_31	longtext	Yes	NULL	
case_32	longtext	Yes	NULL	
case_33	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
case_34	longtext	Yes	NULL	
case_35	longtext	Yes	NULL	
case_36	longtext	Yes	NULL	
case_37	longtext	Yes	NULL	
case_38	longtext	Yes	NULL	
case_39	longtext	Yes	NULL	
case_40	longtext	Yes	NULL	
case_41	longtext	Yes	NULL	
case_42	longtext	Yes	NULL	
case_43	longtext	Yes	NULL	
case_44	longtext	Yes	NULL	
case_45	longtext	Yes	NULL	
case_46	longtext	Yes	NULL	
case_47	longtext	Yes	NULL	
case_48	longtext	Yes	NULL	
case_49	longtext	Yes	NULL	
case_50	longtext	Yes	NULL	
case_51	longtext	Yes	NULL	
case_52	longtext	Yes	NULL	
case_53	longtext	Yes	NULL	
case_54	longtext	Yes	NULL	
case_55	longtext	Yes	NULL	
case_56	longtext	Yes	NULL	
case_57	longtext	Yes	NULL	
case_58	longtext	Yes	NULL	
case_59	longtext	Yes	NULL	
case_60	longtext	Yes	NULL	
case_61	longtext	Yes	NULL	
case_62	longtext	Yes	NULL	
case_63	longtext	Yes	NULL	
case_64	longtext	Yes	NULL	
case_65	longtext	Yes	NULL	
case_66	longtext	Yes	NULL	
case_67	longtext	Yes	NULL	
case_68	longtext	Yes	NULL	
case_69	longtext	Yes	NULL	
case_70	longtext	Yes	NULL	
case_71	longtext	Yes	NULL	
case_72	longtext	Yes	NULL	
case_73	longtext	Yes	NULL	
case_74	longtext	Yes	NULL	
case_75	longtext	Yes	NULL	
case_76	longtext	Yes	NULL	
case_77	longtext	Yes	NULL	
case_78	longtext	Yes	NULL	
case_79	longtext	Yes	NULL	
case_80	longtext	Yes	NULL	
case_81	longtext	Yes	NULL	
case_82	longtext	Yes	NULL	
case_83	longtext	Yes	NULL	
crime_file_details	text	Yes	NULL	
date_of_insertion	datetime	Yes	NULL	
data_provider	varchar(50)	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	11	A	No	

livelink_payable_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
date	date	No		can be csv
disbursed_amt	varchar(100)	No		
disbursed_on	datetime	No		including tax
transaction_id	varchar(50)	No		

Column	Type	Null	Default	Comments
utr_no	varchar(50)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

livelink_receivable_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	int(11)	No		
location_id	varchar(15)	No		
liveuser_id	varchar(25)	No		
date	date	No		
type	varchar(10)	No		I/C
base_amt	int(11)	No		total paid by enduser
tax	int(11)	No		
subtotal_amt	int(11)	No		
enduser_count	int(11)	No		when type C
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

livelink_template_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(25)	No		
location_id	varchar(25)	No		
livelink_id	varchar(25)	No		
status	int(11)	No		
name1	varchar(60)	No		name of field
type1	varchar(60)	No		date.varchar/integer/checkboxbox/radio/characted
comp1	int(11)	No		0-not / 1 means compulsory
name2	varchar(60)	No		
type2	varchar(60)	No		
comp2	int(11)	No		
name3	varchar(60)	No		
type3	varchar(60)	No		
comp3	int(11)	No		
inserted_on	datetime	No		
inactive_on	datetime	No		
line_no	int(11)	No		
name4	varchar(60)	No		
type4	varchar(60)	No		
comp4	int(11)	No		
name5	varchar(60)	No		
type5	varchar(60)	No		
comp5	int(11)	No		
name6	varchar(60)	No		
type6	varchar(60)	No		
comp6	int(11)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	

live_link_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
live_link_id	varchar(15)	No		
location_id	varchar(100)	No		For which location this bulk link is created eg: Vasundhara Hostel for Thane location

Column	Type	Null	Default	Comments
type	varchar(20)	No		1/2/3
status	varchar(50)	No		0=generated/1=partial/2=operation/3-inactive
live_link_url	longtext	No		url of live link which will be sent to end user
inserted_on	datetime	No		
total_amt_from_wallet	varchar(20)	No		sum of total amount deducted from wallet [will be incremented as and when a live user done the verification {if set payment from = wallet}]
total_amt_from_liveuser	varchar(20)	No		sum of total amount paid by live user[will be incremented as and when a live user made the payment for verification {if set payment from = liveuser}]
operational_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	323	A	No	

live_link_setting_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
live_link_id	varchar(15)	No		
location_id	varchar(100)	No		For which location this live link is created
line_no	int(11)	No		line no increment by when everytime there is a change in setting
obj_1	varchar(50)	No		name of the object (ex. student)
obj_1_verifications	longtext	No		csv of verifications type (DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008)
obj_1_mi_amt	longtext	No		DVF-00001=amount+gst amount , DVF-00002= amount + gst amount
obj_1_addon_amount	longtext	No		DVF-00001= amount+gst amount – commission,(Commission is the 4% of the total sum amount (amount+gst). live user has to pay the Amount + gst amont + client_add_on_amount + commission amount)
obj_2	varchar(50)	No		name of the object (ex. Father)
obj_2_verifications	longtext	No		csv of verifications type (DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008)
obj_2_mi_amt	longtext	No		DVF-00001=amount+gst amount , DVF-00002= amount + gst amount
obj_2_addon_amount	longtext	No		DVF-00001= amount+gst amount – commission,(Commission is the 4% of the total sum amount (amount+gst). live user has to pay the Amount + gst amont + client_add_on_amount + commission amount)
obj_3	varchar(50)	No		name of the object (ex. Mother, Guardian)
obj_3_verifications	longtext	No		csv of verifications type (DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008)
obj_3_mi_amt	longtext	No		DVF-00001=amount+gst amount , DVF-00002= amount + gst amount
obj_3_addon_amount	longtext	No		DVF-00001= amount+gst amount – commission,(Commission is the 4% of the total sum amount (amount+gst). live user has to pay the Amount + gst amont + client_add_on_amount + commission amount)
tentative_amount	float	No		total tentative amount which a livelink is expected to will be here. for ex. if a livelink {type=3} and selected verification is aadhar(50 rs) and setting is to be paid by wallet, then [50+50+50]=150 rs will be here
payment_from	varchar(10)	No		W-wallet/L-liveuser
paid_by	varchar(50)	No		{1/1,2/1,2,3 /0} 1= liveuser/1,2= liveuser/1,2,3= liveuser 0 = wallet
live_user_link_expiry_in_days	varchar(20)	No		if 2 written here means after sending link to live user, it will be expired in 2 days.
link_sent_to	longtext	No		1,2,3
inserted_on	datetime	No		
valid_till	datetime	No		whenever new line inserted, valid_till of line_no - 1 will be inserted on datetime
type	int(11)	No		
link_sent_on	varchar(25)	No		W,E,S

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	328	A	No	

live_link_transaction_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(20)	No		
live_link_id	varchar(15)	No		
livelink_type	int(11)	No		1 means 1 person 2 means 2 3 means 3
transaction_no	varchar(25)	No		for obj 1,2,3 this no will be same
live_user_id	varchar(15)	No		
liveuser_ref_id	longtext	No		it will be same for obj_1 obj_2 and obj_3 () if only obj_1 is exist then also this ID will exist
verification_link	longtext	No		
obj_no	int(10)	No		1 or 2 or 3
obj_name	text	No		Father, Mother, gaurdian, child,etc
name	varchar(100)	No		

Column	Type	Null	Default	Comments
mobile	varchar(15)	No		if entry is primary then it can be filed(if secondary entry it can be blank)
email_id	varchar(100)	Yes	NULL	if entry is primary then it can be filed(if secondary entry it can be blank)
sms_sent	varchar(15)	No		0=not required to send, 1=needed to be send / 2=sent
email_sent	varchar(15)	No		0=not required to send, 1=needed to be send / 2=sent
whatsapp_msg_sent	varchar(1)	No		0=not required to send, 1=needed to be send / 2=sent
status	varchar(50)	No		0= not initiated, 1 = opened, 2= partial verifications 3= completed 4=ambiguity
scheduled_verifications	longtext	No		DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008
verification_done	varchar(100)	No		DVF-00001, DVF-00002, DVF-00004, DVF-00005, DVF-00008
live_link_opened_on	datetime	No		
reminder_email	int(11)	No		1= daily 2= every alternate daty 0= No reminder(If value is 0 then except the welcome email no further reminder email will be shoot to the end user)
reminder_sms	int(11)	No		1= daily 2= every alternate daty 0= No reminder(If value is 0 then except the welcome email no further reminder email will be shoot to the end user)
reminder_whatsapp	varchar(1)	No		1= daily 2= every alternate daty 0= No reminder(If value is 0 then except the welcome email no further reminder email will be shoot to the end user)
payment_from	varchar(15)	No		1=wallet , 2= by the liveuser
live_link_expiry_on	datetime	No		when this link will be expired for this live user.
verification_date	datetime	No		
additional_form	int(11)	No	0	0-no, 1=yes
value1	longtext	No		
value2	longtext	No		
value3	longtext	No		
value4	longtext	No		
value5	longtext	No		
value6	longtext	No		
form_line_on	int(11)	No		line_no against which this values are inserted

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	85	A	No	

live_user_payment_transaction_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
live_user_id	varchar(100)	No		entry in CSV if payment id paid for multiple user eg: END-00001, END-00002, END-00003
paid_transaction_id	varchar(100)	No		
paid_by	varchar(100)	No		live_user_id who has done this payment
gateway_transaction_id	varchar(100)	No		from razorpay id
status	varchar(100)	No		
gst_number	varchar(100)	No		
paid_amount	float	No		
cgst_amount	float	No		
sgst_amount	float	No		
mi_amount	float	No		companies amount(micro integrated)
mi_cgst_amount	float	No		
mi_sgst_amount	float	No		
agency_amount	float	No		
agency_cgst_amount	float	No		
agency_sgst_amount	float	No		
inserted_on	datetime	No		
live_link_id	varchar(100)	No		
invoice_url	longtext	No		
verification_id	longtext	No		verification ids like DVF-00001, DVF-00002, etc
payment_type	int(11)	No		1=W, 2=E

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

live_user_verification_transaction_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(15)	No		
live_link_id	varchar(100)	No		

Column	Type	Null	Default	Comments
live_user_id	varchar(100)	No		
aadhar_number	text	No		
otp_count	int(11)	No		
first_name	text	No		
last_name	text	No		
mobile_number	float	No		
email_id	varchar(50)	No		
pan_number	text	No		
dl_number	text	No		
voter_number	text	No		
passport_number	text	No		
aadhar_ambiguity	longtext	No		ok= all ok, else name=not match, address=not match, etc
pan_ambiguity	longtext	No		
dl_ambiguity	longtext	No		
voter_ambiguity	longtext	No		
passport_ambiguity	longtext	No		
document_type	varchar(25)	No		DVF-00001=Aadhar DVF-00002=Pan DVF-00004=DL DVF-00005=Voter DVF-00006=Passport
father_name	text	No		
mother_name	text	No		
spouse_name	text	No		
gender	text	No		
dob	datetime	No		
blood_group	text	No		
address	text	No		
country_code	text	No		
state_name	text	No		
nationality	text	No		
front_photo	text	No		
back_photo	text	No		
user_photo	text	No		
cover_photo	text	No		
date_of_issue	text	No		
date_of_expiry	text	No		
place_of_issue	text	No		
classes_of_vehicle	text	No		Classes of Vehicles(LMV,MCWG, etc)
polling_details	text	No		
republic_of_india	text	No		
passport_type	text	No		
file_number	text	No		
initiated_on	datetime	No		
completed_on	datetime	No		
report_url	varchar(255)	No		
activity_status	int(11)	No		Initated=1, verified=2, not verified=3
pan_cibil_otp	int(11)	No		
cibil_score	int(11)	No		
cibil_report_url	longtext	No		
cibil_type	int(11)	No		1-score/2-report
ecrime	int(11)	No		0-no/1-yes
case_count	int(11)	No		may be or or no of cases found
text_file_url	longtext	No		
ecrime_sp_id	varchar(15)	No		service_provider_id
ecrime_threat_level	int(11)	No		1-low/2-moderate/3-critically high

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

location_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
location_name	varchar(100)	No		
operational_from	date	No		
admins	varchar(15)	No		csv
state	varchar(100)	No		

Column	Type	Null	Default	Comments
city	varchar(100)	No		
pincode	varchar(10)	No		
radius	varchar(10)	No		
gps_coordinates	varchar(100)	No		
inserted_on	datetime	No		
updated_on	datetime	No		
status	varchar(50)	No		1 - active, 2- close, 3- suspended
close_from	date	No		
close_reason	longtext	No		
business_area	int(11)	No	0	0=main_office, 1. Hotel 2. Construction 3. Education Campus 4. Organization 5. NBFC
address	longtext	No		
weblink_count	int(11)	No		
liveuser_count	int(11)	No		
enduser_count	int(11)	No		
visitor_count	int(11)	No		
instant_count	int(11)	No		CSV of name and count (guest=12,student=43)
total_collection	int(11)	No		
ambiguity_count	int(11)	No		total ambiguity
total_settlement	varchar(20)	No		(tax excluded, total amt gancey received till date)
star_rating	float	No	2.5	1-2 2-3 3-4 4-5

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	134	A	No	

location_setting_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
line_no	int(10)	No		for every change in setting against agency->location, new line will be inserted
inserted_on	datetime	No	current_timestamp()	
visitor_approval_required	int(11)	No		1=Yes, 0=No, 2=depend on employee
visitor_request_link_expires_in	varchar(10)	No		if above col is Y then store value here (in mimnutes)
visitor_verification_required	int(11)	No	0	1=Yes, 0=No
verification_amt	float	No	0	
amt_paid_by	int(1)	No		1=agency wallet, 2 = by end user (visitor)
visiting_charges	float	No	0	if 0, it means no visiting charges is applied
visiting_hours	varchar(30)	No		from_time=to_time
visitor_pass_valid_upto	varchar(100)	No		in minutes
weekoffs	varchar(100)	No		1=monday,2=tuesday and so on.... CSV will be stored here like 1,2,3 means monday,tuesday,wednesday will be week off
weblink_paid_by	int(11)	No		1-wallet/2-enduser/3-any of them/0-weblink is not permitted
visitor_module	int(11)	No		1=yes/0=no
initial_free_visits	int(11)	No		default 0
re_visiting_interval	int(11)	No		in days (max 2 digits 3 month 90 days) if 0 means pay per visit
re_verification_interval	int(11)	No		in days (max 365) if 0 means pay per visit
instant_verification_report	longtext	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
weblink_verification_report	longtext	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am), 4=after weblink close
livelink_verification_report	longtext	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
visitor_verification_report	longtext	No		1= not required, 2=per transaction(per verification), 3=daily(at 12 am)
instant_ambiguity_report	longtext	No		2=per transaction(per verification), 3=daily(at 12 am)
visitor_ambiguity_report	longtext	No		1=not required, 2=per transaction(per verification), 3=daily(at 12 am)
weblink_ambiguity_report	longtext	No		1=not required, 2=per transaction(per verification), 3=daily(at 12 am)
livelink_ambiguity_report	longtext	No		2=per transaction(per verification), 3=daily(at 12 am)
daily_instant_report	int(11)	No		1=Y/0=N
daily_visitor_report	int(11)	No		1=Y/0=N
daily_weblink_report	int(11)	No		1=Y/0=N
daily_livelink_report	int(11)	No		1=Y/0=N
visiting_charges_refundable	int(11)	No		0/1 [1- only when paid by end user and setting set to 1]
verification_charges_refundable	int(11)	No		0/1 [1- only when paid by end user and setting set to 1]
available_verifications_for_visitor	varchar(100)	No		DVF-00001-aadhaar/DVF-00002-pan/DVF-00003-voter/DVF-00004-DL/DVF-00005-passport data here can be in CSV (DVF-00001,DVF-00002,DVF-00004)
reminder_for_weblink_user	int(11)	No		payment done, but verification pending, then sent reminder 0-no/1=yes
reminder_interval	int(11)	No		days
instant_emails	longtext	No		instant verification email ids to whom emails is to be send.

Column	Type	Null	Default	Comments
visitor_emails	longtext	No		visitor verification email ids to whom emails is to be send.
weblink_emails	longtext	No		weblink verification email ids to whom emails is to be send.
livelink_emails	longtext	No		livelink verification email ids to whom emails is to be send.

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	97	A	No	

member_contract_combination_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
member_id	varchar(20)	No		
contract_id	varchar(20)	No		
contract_accepted_on	datetime	No		
acceptance_no	varchar(20)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	32	A	No	

member_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(25)	No		
location_id	varchar(100)	No		
member_id	varchar(20)	No		
name	varchar(100)	No		
contact_no	varchar(25)	No		
email_id	varchar(50)	No		
dob_or_doj	date	No		if employee then date of joining and if family member then date of birth
gender	varchar(10)	No		
city	varchar(25)	No		
address	varchar(250)	No		
relation	varchar(25)	No		
designation	varchar(25)	No		
type	int(10)	No		1=member/0=employee
employee_type	varchar(25)	No		
duty_type	int(10)	No		1=full time/0= custom
duty_applicable_from	datetime	No		
duty_time	varchar(500)	No		
is_admin	int(10)	No		1=Y/0=N
status	int(10)	No		1=active/0=deactive
profile_image	varchar(500)	No		
created_on	datetime	No		
updated_on	datetime	No		
is_watch_wear	int(10)	No		1=Yes/0=No
geo_fancing_margin	int(11)	No		if yes then insert distance
manual_recording	varchar(100)	No		if yes then insert value in minute
e_crime_reminder	int(11)	No		if yes then insert value in days
cibil_reminder	int(11)	No		if yes then insert value in days
sos	int(10)	No		1=ON/0=OFF
sos_details	longtext	No		name=mobile,name=mobile.....
member_setting_set	int(10)	No		1=Y/0=N
universal_report	varchar(500)	No		
completed_verifications	text	No		CSV if verification is done, aadhar,pan then data is(1,2) here 1= Aadhar 2= Pan 3= Voter 4= DL 5= Indian Passport 6= international Passport 7= Crime check eg: 1@date&time,5@date&time

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

member_header_archive_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(25)	No		
location_id	varchar(100)	No		
member_id	varchar(20)	No		
name	varchar(100)	No		
contact_no	varchar(25)	No		
email_id	varchar(50)	No		
dob_or_doj	date	No		if employee then date of joining and if family member then date of birth
gender	varchar(10)	No		
city	varchar(25)	No		
address	varchar(250)	No		
relation	varchar(25)	No		
designation	varchar(25)	No		
type	int(10)	No		1=member/0=employee
employee_type	varchar(25)	No		
duty_type	int(10)	No		1=full time/0= custom
duty_applicable_from	datetime	No		
duty_time	varchar(500)	No		
is_admin	int(10)	No		1=Y/0=N
status	int(10)	No		1=active/0=deactive
profile_image	varchar(500)	No		
created_on	datetime	No		
updated_on	datetime	No		
is_watch_wear	int(10)	No		1=Yes/0=No
geo_fancing_margin	int(11)	No		if yes then insert distance
manual_recording	varchar(100)	No		if yes then insert value in minute
e_crime_reminder	int(11)	No		if yes then insert value in days
cibil_reminder	int(11)	No		if yes then insert value in days
sos	int(10)	No		1=ON/0=OFF
sos_details	longtext	No		name=mobile,name=mobile.....
member_setting_set	int(10)	No		1=Y/0=N
universal_report	varchar(500)	No		
completed_verifications	text	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

member_settings_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(25)	No		
member_id	varchar(25)	No		
app_setting_on_off	int(10)	No		1=on/0=off
sos	int(10)	No		1=on/0=off
geo_location_auto_update	varchar(100)	No		N or store duration/interval in minutes
manual_recording	varchar(100)	No		N or store duration/interval in minutes
manual_recording_notification	int(10)	No		1=Y/0=N
ecrime_reminder	varchar(50)	No		N or if yes is present then direct provide value e.g. 30-day/30-month
alert_when_watch_out_from_gps_range	varchar(100)	No		N or range
fsn_when_out_of_gps_location	int(10)	No		1=Y/0=N
bluetooth	int(10)	No		1=Y/0=N
carrier	varchar(100)	No		N or if Y then cellular/wifi/both
heart_rate	varchar(100)	No		Y/N, if yes then save comman heart rate data
spo2	varchar(100)	No		Y/N, if yes then save comman heart rate data
body_temp	varchar(100)	No		Y/N, if yes then save comman heart rate data
alert_when_watch_remove	int(10)	No		1=Y/0=N
alert_on_watch_remove_from_wrist	int(10)	No		1=Y/0=N
alert_on_watch_removal_after_every	varchar(30)	No		e.g 20 mins
alrert_on_sim_remove	int(10)	No		1=Y/0=N
fsn_for_sim_remove	int(10)	No		1=Y/0=N
alert_on_watch_to_reconnect_server	int(10)	No		1=Y/0=N
fsn_watch_server_reconnect	int(10)	No		1=Y/0=N
pre_schedule_alert	int(10)	No		1=Y/0=N
fsn_pre_schedule_alert_not_delivered	int(10)	No		1=Y/0=N

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

notification_header_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
member_id	varchar(50)	No		
notification_title	varchar(1000)	No		
body	longtext	No		
customize_data	longtext	No		
success_cnt	int(11)	No		
failure_cnt	int(11)	No		
created_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

offer_information_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
offer_id	varchar(50)	No		
status	int(10)	No		1=active/0=deactive
offer_name	varchar(100)	No		
recharge_amount	float	No		
add_on_amount	float	No		
applicable_from	date	No		
valid_till	date	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	

pending_enquiry_header_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(20)	No		individual/organization
location_id	varchar(100)	No		
name	varchar(100)	No		
mobile_no	varchar(15)	No		
email_id	varchar(100)	No		
company_name	varchar(100)	No		organization_name
business_type	varchar(50)	No		functional area
city	varchar(100)	No		
address	varchar(250)	No		
no_of_employees	varchar(100)	No		
created_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

policy_webpage_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
form_id	varchar(15)	No		
process_id	varchar(15)	No		
contract_id	varchar(20)	No		
webpage_url	varchar(50)	No		
status	int(10)	No		1=active/0=deactive

Column	Type	Null	Default	Comments
applied_from	date	No		
applied_till	date	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

profile_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
profile_id	varchar(20)	No		
profile_name	varchar(50)	No		display name
form_id	longtext	No		CSV / all - means all forms are accessible
process_id	longtext	No		CSV / all - means all processes are accessible
profile_status	int(10)	No		1=active/2=inactive

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	7	A	No	

report_scheduler_all

Table comments: *remaining filter's to be added*

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
primary_id	varchar(15)	No		
secondary_id	varchar(15)	No		can be CSV or can be empty as well
called_from	int(11)	No		1-weblink/2-livelink/3-visitor/4-instant/5-collection/6-wallet_transaction....
from_date	date	No		can't be empty
to_date	date	No		can't be empty
scheduler_no	int(11)	No		if it is same means same email
status	int(11)	No		0=email not sent/1-sent
report_sent_on	datetime	No		datetime
email_ids	longtext	No		can be in csv[can't be blank, atleast 1 email must be there]
requested_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

sample_excel_definations_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
excel_name	varchar(100)	No		of understanding
excel_no	int(10)	No		
excel_url	longtext	No		
user_validation_url	longtext	No		validations or rules which is uploaded from us (backend), and send to user so that to understand what kind of data to be entered in excel [pdf file]
type	varchar(100)	No		student only, paret only, student parent both,
stake_holder	int(11)	No		count of pointers in excel eg: student excel will have 1 pointer that is student student and Parent excel will have 3 pointer, Mother/Father/Student
excel_verification_rules_1	longtext	No		rule for the counmn 1 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel. we can also put regex here so that validations can be put easily.
excel_verification_rules_2	longtext	No		rule for the counmn 2 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
excel_verification_rules_3	longtext	No		rule for the counmn 3 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
excel_verification_rules_4	longtext	No		rule for the counmn 4 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
excel_verification_rules_5	longtext	No		rule for the counmn 5 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
excel_verification_rules_6	longtext	No		rule for the counmn 6 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
excel_verification_rules_7	longtext	No		rule for the counmn 7 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.

Column	Type	Null	Default	Comments
excel_verification_rules_8	longtext	No		rule for the counm 8 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
excel_verification_rules_9	longtext	No		rule for the counm 9 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
excel_verification_rules_10	longtext	No		rule for the counm 10 if applied e.g A=NUM,A=5 digit(this will be used to validate the uploaded excel file) Note: if this is blank meansno validation is required in uploaded excel.
obj_1	longtext	No		obj_1_name:verification_1,verification_2,verification_3....
obj_2	longtext	No		obj_2_name:verification_1,verification_2,verification_3....
obj_3	longtext	No		obj_3_name:verification_1,verification_2,verification_3....
type_for_excel	int(11)	No		1=Weblink, 2=Visitor

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	8	A	No	

service_provider_api_header_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
sp_id	varchar(15)	No		service_provider_id
sp_name	varchar(100)	No		
api_name	longtext	No		
api_url	longtext	No		
api_input_params	longtext	No		
status	int(11)	No		1/0
api_description	longtext	No		
inserted_on	datetime	No		
deactivated_on	datetime	No		
total_success_count	int(11)	No		
total_fail_count	int(11)	No		
priority	int(11)	No		1 means use this first,
today_hit_count	int(11)	No		totad's hit count
activity_count	int(11)	No		if priority is 1 and this count is under 5 then go with this only. but once this count reaches 5 then do not hit this and switch to next priority. and failed count is incremented by 1 all the time. and if success it will be same and reset after 12:05 daily cron. and send 1 email daily with all api and service provider report. if all service provider of a particular category(PAN) reaches 5 then it will geenerate a high alert to MTSS saying this particular verification is in critical phase and need immediate attention. in that case it starts again from Priority 1

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	

table_inside_table_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
table_name	varchar(100)	No		
first_alert_on	int(11)	No		
maximum_row_limit	int(11)	No		
is_stoppable	int(11)	No	0	0=No,1=Yes
stop_generated_on	datetime	No		
error_code	int(100)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

third_party_api_errorr_log

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
primary_id	varchar(15)	No		dutypost_id
secondary_id	varchar(15)	No		visitor_id
error_log_no	int(11)	No		
error_datetime	datetime	No		
type	int(11)	No		1-aadhar/2-pan/3-voter/4-DL/5-passport international/6-passport domestic

Column	Type	Null	Default	Comments
service_provider	varchar(100)	No		name of 3rd party provider
error_msg	longtext	No		
loss_amt	int(11)	No		amt of 1 hit of perticular api.

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

unique_id_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
table_name	varchar(100)	No		table where is id is stored
id_for	varchar(50)	No		name, for which we are creating this ID
prefix	varchar(20)	No		set by us, such as for Item Number we can set prefix as IN
last_id	varchar(15)	No		last id generated for this id, if this column is empty then next id will be 00001, final id mst be IN_00001
created_on	datetime	No		
modified_on	datetime	No		
id_prefix	varchar(25)	No		if return 999 here it means AGN

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	16	A	No	

version_control_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
version_id	varchar(15)	No		for internal use
main_version_id	varchar(100)	No		if it is blank means it is main version data, else it is sub version data. It's the main version id will insert here. eg: if Main version = 3.0, version_id = ver_00001 main_version_id = " then sub version = 3.0.1 version_id = ver_00002 main_version_id = ver_00001
version_name	varchar(50)	No		name of version (vocoXP 3.0.1)
version_code	varchar(100)	No		eg: 3.0/3.0.1/4.0
data_migration_on	datetime	No		
uploaded_on_date	datetime	No		date when this version enters
mandatory_from_date	datetime	No		date from which this update is mendetory
playstore_updated_on	datetime	No		
remind_user_from_date	datetime	No		date when to remind users about this update
operating_system	int(11)	No		0 means android 1 means IOS
version_type	int(11)	No		0 means minor 1 means major
required	int(11)	No		0 means optional 1 means compulsory
status	int(11)	No		0 means active 1 means passed 2 means upcomming
current_user_count	int(11)	No		total no of app downloads till date

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

vhss_help_header_all

Table comments: *Here we are storing help images uploaded by miscos user*

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(20)	No		this is auto incremented value and primary key for this table
help_id	varchar(15)	No		this is unique help_id for this table a
related_menu	varchar(200)	No		help_related_which_menu
submenu	varchar(200)	No		
device_type	varchar(100)	No		
help_picture_1	varchar(500)	No		this column is used to store image of help
help_description	varchar(1000)	No		this column is used to store description of help
created_on	datetime	No		datetime on which table row is inserted
modified_on	datetime	No		datetime on which table row is updated

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

visited_visitors_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
name	varchar(100)	No		
contact	varchar(15)	No		
email	varchar(100)	No		
line_no	int(11)	No		0-master data/[basic detail will fetch from the line no 0 only]
visit_details_1	longtext	No		{"agency_id": "", "location_id": "", "visitor_id": "", "visitor_name": "", "mobile_no": "", "in_dutypost_id": "", "intime": "", "out_dutypost_id": "", "outtime": "", "meeting_with": "", "verification_status": "", "verified_document": "", "ambiguity_found_in": "", "status": ""}
visit_details_2	longtext	No		
visit_details_3	longtext	No		
visit_details_4	longtext	No		
visit_details_5	longtext	No		
visit_details_6	longtext	No		
visit_details_7	longtext	No		
visit_details_8	longtext	No		
visit_details_9	longtext	No		
visit_details_10	longtext	No		
visit_details_11	longtext	No		
visit_details_12	longtext	No		
visit_details_13	longtext	No		
visit_details_14	longtext	No		
visit_details_15	longtext	No		
visit_details_16	longtext	No		
visit_details_17	longtext	No		
visit_details_18	longtext	No		
visit_details_19	longtext	No		
visit_details_20	longtext	No		
valid_from	datetime	No		Contact number entry date
valid_till	datetime	No		the day we find same contact number with other data
status	int(11)	No		1=Active(for present data), 0=inactive(for past data)

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	

visitor_aadhar_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
visitor_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
aadhar_number	varchar(20)	No		
name	varchar(100)	No		
dob	date	No		
gender	text	No		
address	varchar(100)	No		
front_photo	longtext	No		
back_photo	longtext	No		
user_photo	longtext	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_athenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
aadhar_ambiguity	longtext	No		
report_url	longtext	No		
otp_count	int(11)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	

visitor_backup_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
date	date	No		date of visit
line_no	int(11)	No		0 - master data .. 1 or greater value means visitor data
total_agency_collection	varchar(100)	No		
total_paid_by_wallet	varchar(100)	No		
visitor_pass_generated_count	int(11)	No		total visitors count
rejected_visitor_count	int(11)	No		
blacklisted_visitor_count	int(11)	No		
permitted_visitor_count	int(11)	No		
denied_visitor_count	int(11)	No		note: blacklisted + permitted + denied = count of admin_concerned_generated
runaway_visitor_count	int(11)	No		
visitor_1	longtext	No		{"visitor_id": "", "visitor_name": "", "mobile_no": "", "in_dutypost_id": "", "intime": "", "out_dutypost_id": "", "outtime": "", "meeting_with": "", "verification_status": "", "verified_document": "", "ambiguity_found_in": "", "status": ""}
visitor_2	longtext	Yes	NULL	
visitor_3	longtext	Yes	NULL	
visitor_4	longtext	Yes	NULL	
visitor_5	longtext	Yes	NULL	
visitor_6	longtext	Yes	NULL	
visitor_7	longtext	Yes	NULL	
visitor_8	longtext	Yes	NULL	
visitor_9	longtext	Yes	NULL	
visitor_10	longtext	Yes	NULL	
visitor_11	longtext	Yes	NULL	
visitor_12	longtext	Yes	NULL	
visitor_13	longtext	Yes	NULL	
visitor_14	longtext	Yes	NULL	
visitor_15	longtext	Yes	NULL	
visitor_16	longtext	Yes	NULL	
visitor_17	longtext	Yes	NULL	
visitor_18	longtext	Yes	NULL	
visitor_19	longtext	Yes	NULL	
visitor_20	longtext	Yes	NULL	
visitor_21	longtext	Yes	NULL	
visitor_22	longtext	Yes	NULL	
visitor_23	longtext	Yes	NULL	
visitor_24	longtext	Yes	NULL	
visitor_25	longtext	Yes	NULL	
visitor_26	longtext	Yes	NULL	
visitor_27	longtext	Yes	NULL	
visitor_28	longtext	Yes	NULL	
visitor_29	longtext	Yes	NULL	
visitor_30	longtext	Yes	NULL	
visitor_31	longtext	Yes	NULL	
visitor_32	longtext	Yes	NULL	
visitor_33	longtext	Yes	NULL	
visitor_34	longtext	Yes	NULL	
visitor_35	longtext	Yes	NULL	
visitor_36	longtext	Yes	NULL	
visitor_37	longtext	Yes	NULL	
visitor_38	longtext	Yes	NULL	
visitor_39	longtext	Yes	NULL	
visitor_40	longtext	Yes	NULL	
visitor_41	longtext	Yes	NULL	
visitor_42	longtext	Yes	NULL	
visitor_43	longtext	Yes	NULL	
visitor_44	longtext	Yes	NULL	
visitor_45	longtext	Yes	NULL	
visitor_46	longtext	Yes	NULL	
visitor_47	longtext	Yes	NULL	
visitor_48	longtext	Yes	NULL	
visitor_49	longtext	Yes	NULL	
visitor_50	longtext	Yes	NULL	
visitor_51	longtext	Yes	NULL	
visitor_52	longtext	Yes	NULL	
visitor_53	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
visitor_54	longtext	Yes	NULL	
visitor_55	longtext	Yes	NULL	
visitor_56	longtext	Yes	NULL	
visitor_57	longtext	Yes	NULL	
visitor_58	longtext	Yes	NULL	
visitor_59	longtext	Yes	NULL	
visitor_60	longtext	Yes	NULL	
visitor_61	longtext	Yes	NULL	
visitor_62	longtext	Yes	NULL	
visitor_63	longtext	Yes	NULL	
visitor_64	longtext	Yes	NULL	
visitor_65	longtext	Yes	NULL	
visitor_66	longtext	Yes	NULL	
visitor_67	longtext	Yes	NULL	
visitor_68	longtext	Yes	NULL	
visitor_69	longtext	Yes	NULL	
visitor_70	longtext	Yes	NULL	
visitor_71	longtext	Yes	NULL	
visitor_72	longtext	Yes	NULL	
visitor_73	longtext	Yes	NULL	
visitor_74	longtext	Yes	NULL	
visitor_75	longtext	Yes	NULL	
visitor_76	longtext	Yes	NULL	
visitor_77	longtext	Yes	NULL	
visitor_78	longtext	Yes	NULL	
visitor_79	longtext	Yes	NULL	
visitor_80	longtext	Yes	NULL	
visitor_81	longtext	Yes	NULL	
visitor_82	longtext	Yes	NULL	
visitor_83	longtext	Yes	NULL	
visitor_84	longtext	Yes	NULL	
visitor_85	longtext	Yes	NULL	
visitor_86	longtext	Yes	NULL	
visitor_87	longtext	Yes	NULL	
visitor_88	longtext	Yes	NULL	
visitor_89	longtext	Yes	NULL	
visitor_90	longtext	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	

visitor_blacklist_detail_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(100)	No		
block_reason	longtext	No		
mobile_1	varchar(100)	Yes	NULL	
mobile_2	varchar(100)	Yes	NULL	
mobile_3	varchar(100)	Yes	NULL	
mobile_4	varchar(100)	Yes	NULL	
mobile_5	varchar(100)	Yes	NULL	
mobile_6	varchar(100)	Yes	NULL	
mobile_7	varchar(100)	Yes	NULL	
mobile_8	varchar(100)	Yes	NULL	
mobile_9	varchar(100)	Yes	NULL	
mobile_10	varchar(100)	Yes	NULL	
mobile_11	varchar(100)	Yes	NULL	
mobile_12	varchar(100)	Yes	NULL	
mobile_13	varchar(100)	Yes	NULL	
mobile_14	varchar(100)	Yes	NULL	
mobile_15	varchar(100)	Yes	NULL	
mobile_16	varchar(100)	Yes	NULL	
mobile_17	varchar(100)	Yes	NULL	
mobile_18	varchar(100)	Yes	NULL	

Column	Type	Null	Default	Comments
mobile_19	varchar(100)	Yes	NULL	
mobile_20	varchar(100)	Yes	NULL	
mobile_21	varchar(100)	Yes	NULL	
mobile_22	varchar(100)	Yes	NULL	
mobile_23	varchar(100)	Yes	NULL	
mobile_24	varchar(100)	Yes	NULL	
mobile_25	varchar(100)	Yes	NULL	
mobile_26	varchar(100)	Yes	NULL	
mobile_27	varchar(100)	Yes	NULL	
mobile_28	varchar(100)	Yes	NULL	
mobile_29	varchar(100)	Yes	NULL	
mobile_30	varchar(100)	Yes	NULL	
mobile_31	varchar(100)	Yes	NULL	
mobile_32	varchar(100)	Yes	NULL	
mobile_33	varchar(100)	Yes	NULL	
mobile_34	varchar(100)	Yes	NULL	
mobile_35	varchar(100)	Yes	NULL	
mobile_36	varchar(100)	Yes	NULL	
mobile_37	varchar(100)	Yes	NULL	
mobile_38	varchar(100)	Yes	NULL	
mobile_39	varchar(100)	Yes	NULL	
mobile_40	varchar(100)	Yes	NULL	
mobile_41	varchar(100)	Yes	NULL	
mobile_42	varchar(100)	Yes	NULL	
mobile_43	varchar(100)	Yes	NULL	
mobile_44	varchar(100)	Yes	NULL	
mobile_45	varchar(100)	Yes	NULL	
visitor_details_1	longtext	No		in obj (visitor name, and visit details and block details (time, by, reason))
visitor_details_2	longtext	Yes	NULL	
visitor_details_3	longtext	Yes	NULL	
visitor_details_4	longtext	Yes	NULL	
visitor_details_5	longtext	Yes	NULL	
visitor_details_6	longtext	Yes	NULL	
visitor_details_7	longtext	Yes	NULL	
visitor_details_8	longtext	Yes	NULL	
visitor_details_9	longtext	Yes	NULL	
visitor_details_10	longtext	Yes	NULL	
visitor_details_11	longtext	Yes	NULL	
visitor_details_12	longtext	Yes	NULL	
visitor_details_13	longtext	Yes	NULL	
visitor_details_14	longtext	Yes	NULL	
visitor_details_15	longtext	Yes	NULL	
visitor_details_16	longtext	Yes	NULL	
visitor_details_17	longtext	Yes	NULL	
visitor_details_18	longtext	Yes	NULL	
visitor_details_19	longtext	Yes	NULL	
visitor_details_20	longtext	Yes	NULL	
visitor_details_21	longtext	Yes	NULL	
visitor_details_22	longtext	Yes	NULL	
visitor_details_23	longtext	Yes	NULL	
visitor_details_24	longtext	Yes	NULL	
visitor_details_25	longtext	Yes	NULL	
visitor_details_26	longtext	Yes	NULL	
visitor_details_27	longtext	Yes	NULL	
visitor_details_28	longtext	Yes	NULL	
visitor_details_29	longtext	Yes	NULL	
visitor_details_30	longtext	Yes	NULL	
visitor_details_31	longtext	Yes	NULL	
visitor_details_32	longtext	Yes	NULL	
visitor_details_33	longtext	Yes	NULL	
visitor_details_34	longtext	Yes	NULL	
visitor_details_35	longtext	Yes	NULL	
visitor_details_36	longtext	Yes	NULL	
visitor_details_37	longtext	Yes	NULL	
visitor_details_38	longtext	Yes	NULL	
visitor_details_39	longtext	Yes	NULL	
visitor_details_40	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
visitor_details_41	longtext	Yes	NULL	
visitor_details_42	longtext	Yes	NULL	
visitor_details_43	longtext	Yes	NULL	
visitor_details_44	longtext	Yes	NULL	
visitor_details_45	longtext	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	4	A	No	

visitor_denied_backup_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
month_year	varchar(20)	No		mm-yyyy
1_mobile	longtext	No		in this on 1st day of month how many visitors. eg: on December 1 there are 4 visitor then data vil be Mob1@mob2@mob3@mob4
2_mobile	longtext	No		
3_mobile	longtext	No		
4_mobile	longtext	No		
5_mobile	longtext	No		
6_mobile	longtext	No		
7_mobile	longtext	No		
8_mobile	longtext	No		
9_mobile	longtext	No		
10_mobile	longtext	No		
11_mobile	longtext	No		
12_mobile	longtext	No		
13_mobile	longtext	No		
14_mobile	longtext	No		
15_mobile	longtext	No		
16_mobile	longtext	No		
17_mobile	longtext	No		
18_mobile	longtext	No		
19_mobile	longtext	No		
20_mobile	longtext	No		
21_mobile	longtext	No		
22_mobile	longtext	No		
23_mobile	longtext	No		
24_mobile	longtext	No		
25_mobile	longtext	No		
26_mobile	longtext	No		
27_mobile	longtext	No		
28_mobile	longtext	No		
29_mobile	longtext	No		
30_mobile	longtext	No		
31_mobile	longtext	No		
1_day	longtext	Yes	NULL	Mobailno = "visitor_id,Name, in_time, status, meeting_with, outtime"@Mobailno = "visitor_id,Name, in_time, status, meeting_with, outtime"
2_day	longtext	Yes	NULL	
3_day	longtext	Yes	NULL	
4_day	longtext	Yes	NULL	
5_day	longtext	Yes	NULL	
6_day	longtext	Yes	NULL	
7_day	longtext	Yes	NULL	
8_day	longtext	Yes	NULL	
9_day	longtext	Yes	NULL	
10_day	longtext	Yes	NULL	
11_day	longtext	Yes	NULL	
12_day	longtext	Yes	NULL	
13_day	longtext	Yes	NULL	
14_day	longtext	Yes	NULL	
15_day	longtext	Yes	NULL	
16_day	longtext	Yes	NULL	
17_day	longtext	Yes	NULL	
18_day	longtext	Yes	NULL	
19_day	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
20_day	longtext	Yes	NULL	
21_day	longtext	Yes	NULL	
22_day	longtext	Yes	NULL	
23_day	longtext	Yes	NULL	
24_day	longtext	Yes	NULL	
25_day	longtext	Yes	NULL	
26_day	longtext	Yes	NULL	
27_day	longtext	Yes	NULL	
28_day	longtext	Yes	NULL	
29_day	longtext	Yes	NULL	
30_day	longtext	Yes	NULL	
31_day	longtext	Yes	NULL	
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

visitor_dl_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
visitor_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
dl_number	varchar(20)	No		
name	varchar(20)	No		
father_name	varchar(20)	No		
address	varchar(100)	No		
dob	date	No		
date_of_expiry	date	No		
date_of_issue	date	No		
classes_of_vehicle	varchar(20)	No		Classes of Vehicles(LMV,MCWG, etc)
state_name	text	No		
blood_group	varchar(20)	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_athenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
dl_ambiguity	longtext	No		
report_url	longtext	No		
entered_for	int(11)	No		
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	68	A	No	

visitor_header_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
agency_id	varchar(15)	No		
visitor_id	varchar(15)	No		
location_id	varchar(100)	No		
visitor_name	varchar(100)	No		
visitor_email	varchar(20)	No		
visitor_mobile	varchar(20)	No		
user_photo	varchar(100)	No		
people_with_visitor	int(11)	No		
status	int(1)	No		1-in promises/2-exit
emp_id	varchar(15)	No		

Column	Type	Null	Default	Comments
input_from	varchar(100)	No		DVF-00001=Aadhar, DVF-00002=Pan, DVF-00003 = Ecrime, DVF-00004=DL, DVF-00005=Voter, DVF-00006=Passport, 0=Manual Entry
mode	int(11)	No		1=OCR, 2=Manual
printout_generated	varchar(1)	No		0-No/1=yes
visitor_pass_link	varchar(100)	No		link of visitor's pass
visitor_pass_qr_image	varchar(150)	No		URL where visitor pass qr image is saved
inserted_on	datetime	No		
pass_valid_till	datetime	No		
in_details	varchar(100)	No		dutypost_id=datetime@admin_id
visiting_code	int(4)	No		radom 4 digit code (location_i based) valid for 1 visit only
visit_payment	float	No		
verification_payment	float	No		
payment_from	int(11)	No		1=Wallet, 2=End user
visiting_safe_zone	int(11)	No		1=Yes safe zone, 2=No safezone
verification_safe_zone	int(11)	No		1=Yes safe zone, 2=No safezone
out_details	varchar(100)	No		dutypost_id=datetime@admin_id
requested_by	varchar(15)	No		guard who done the entry
exit_by	varchar(15)	No		guard who done the exit
requested_on	datetime	No		
approved_on	datetime	No		
admin_conerned_on	datetime	No		
permitted_on	datetime	No		
qr_pay_completed_on	datetime	No		
qr_paid_amount	float	No		
qr_gateway_id	varchar(50)	No		
qr_generated_on	datetime	No		
qr_payment_status	varchar(15)	No		payment paid = paid, payment failed = failed, qr_code_generate = initiated
qr_transaction_id	varchar(50)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	22	A	No	

visitor_pan_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
visitor_id	varchar(25)	No		
agency_id	varchar(20)	No		
location_id	varchar(100)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		Initated=0, verified=1, not verified=2
pan_number	varchar(20)	No		
name	text	No		
father_name	text	No		father/husband name
dob	date	No		
user_photo	longtext	No		
front_photo	longtext	No		
generated_by	int(11)	No	1	1=OCR, 2=Manually
is_athenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
pan_ambiguity	longtext	No		
report_url	longtext	No		
athenticated_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	176	A	No	

visitor_payable_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
date	date	No		can be csv
disbursed_amt	varchar(100)	No		
disbursed_on	datetime	No		including tax

Column	Type	Null	Default	Comments
transaction_id	varchar(50)	No		
utr_no	varchar(50)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

visitor_receivable_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
dutypost_id	varchar(15)	No		
date	datetime	No		
visitor_id	varchar(25)	No		
type	varchar(10)	No		I/C
inserted_on	datetime	No		
visiting_charges	float	No		Visiting base charges of only agency visiting charge
visiting_charges_tax	float	No		Visiting tax charges of agency Visiting only
verification_addon	float	No		verification base charges of only agency addon verification charge
verification_addon_tax	float	No		verification tax charges of only agency addon verification charge

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	

visitor_runaway_backup_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
month_year	varchar(20)	No		mm-yyyy
1_mobile	longtext	No		in this on 1st day of month how many visitors. eg: on December 1 there are 4 visitor then data wil be Mob1@mob2@mob3@mob4
2_mobile	longtext	No		
3_mobile	longtext	No		
4_mobile	longtext	No		
5_mobile	longtext	No		
6_mobile	longtext	No		
7_mobile	longtext	No		
8_mobile	longtext	No		
9_mobile	longtext	No		
10_mobile	longtext	No		
11_mobile	longtext	No		
12_mobile	longtext	No		
13_mobile	longtext	No		
14_mobile	longtext	No		
15_mobile	longtext	No		
16_mobile	longtext	No		
17_mobile	longtext	No		
18_mobile	longtext	No		
19_mobile	longtext	No		
20_mobile	longtext	No		
21_mobile	longtext	No		
22_mobile	longtext	No		
23_mobile	longtext	No		
24_mobile	longtext	No		
25_mobile	longtext	No		
26_mobile	longtext	No		
27_mobile	longtext	No		
28_mobile	longtext	No		
29_mobile	longtext	No		
30_mobile	longtext	No		
31_mobile	longtext	No		
1_day	longtext	Yes	NULL	MobileNo = "visitor_id,Name, time, status, meeting_with, outtime, rejected_time, rejected_by" @ MobileNo = "visitor_id,Name, time, status, meeting_with, outtime, rejected_time, rejected_by"

Column	Type	Null	Default	Comments
2_day	longtext	Yes	NULL	
3_day	longtext	Yes	NULL	
4_day	longtext	Yes	NULL	
5_day	longtext	Yes	NULL	
6_day	longtext	Yes	NULL	
7_day	longtext	Yes	NULL	
8_day	longtext	Yes	NULL	
9_day	longtext	Yes	NULL	
10_day	longtext	Yes	NULL	
11_day	longtext	Yes	NULL	
12_day	longtext	Yes	NULL	
13_day	longtext	Yes	NULL	
14_day	longtext	Yes	NULL	
15_day	longtext	Yes	NULL	
16_day	longtext	Yes	NULL	
17_day	longtext	Yes	NULL	
18_day	longtext	Yes	NULL	
19_day	longtext	Yes	NULL	
20_day	longtext	Yes	NULL	
21_day	longtext	Yes	NULL	
22_day	longtext	Yes	NULL	
23_day	longtext	Yes	NULL	
24_day	longtext	Yes	NULL	
25_day	longtext	Yes	NULL	
26_day	longtext	Yes	NULL	
27_day	longtext	Yes	NULL	
28_day	longtext	Yes	NULL	
29_day	longtext	Yes	NULL	
30_day	longtext	Yes	NULL	
31_day	longtext	Yes	NULL	
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

visitor_temp_activity_detail_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(100)	No		
dutypost_id	varchar(15)	No		
visitor_id	varchar(100)	No		
visitor_name	varchar(100)	No		
visitor_email	varchar(255)	No		
visitor_mobile	varchar(100)	No		
people_with_visitor	int(11)	No		
requested_on	datetime	No		
approved_on	datetime	No		
admin_concerned_on	datetime	No		when concern sent to admin (to take action)
rejected_on	datetime	No		
permitted_on	datetime	No		
denied_on	datetime	No		
inserted_by	varchar(15)	No		guard id who entered this
verification_type	varchar(100)	No		DVF-00001=Aadhar / DVF-00002=Pan / DVF-00003 = Ecrime / DVF-00004=DL / DVF-00005=Voter / MVF-00000=Manual entry[Note: in case of ecrime, aadhar will also be there. else only 1 ID will be here]
mode	int(11)	No		1=OCR, 2=Manual
meeting_with	varchar(100)	No		employee_id to whom he is going to meet or Employee name (manually entered by the guard) if employee name is there and dutypost setting says employee approval is required then column 10,11 will have the exact same datetime
visit_status	int(11)	No		1=requested, 2=approved, 3=rejected, 4=direct(entry without approval), 5=run_away, 6=admin_concerned, 7=permitted, 8=denied, 9=blacklisted, 10=pre-appointed
request_link_url	varchar(100)	No		request_link_id
visit_payment	float	No	0	total visiting chnarges
verification_payment	float	No	0	total verification charges
mi_verification_charge	float	No		mi verification cahрге from central panel
mi_share_tax_amt	float	No		

Column	Type	Null	Default	Comments
sms_status	int(11)	No		0=not sent, 1=sent
email_status	int(11)	No		0=not sent, 1=sent
payment_from	int(11)	No		1=Wallet, 2=End user
verification_safe_zone	int(11)	No		1=Yes safe zone, 2=No safezone
visiting_safe_zone	int(11)	No		1 = yes safe zone, 2= no safe zone
first_name	varchar(100)	No		
last_name	varchar(100)	No		
aadhar_number	varchar(100)	No		
pan_number	varchar(100)	No		
dl_number	varchar(100)	No		
voter_number	varchar(100)	No		
qr_pay_completed_on	datetime	No		
qr_paid_amount	float	No		
qr_gateway_id	varchar(50)	No		
qr_generated_on	datetime	No		
qr_payment_status	varchar(15)	No		payment paid = paid, payment failed = failed, qr_code_generate = initiated
qr_transaction_id	varchar(50)	No		
father_name	text	No		
mother_name	text	No		
spouse_name	text	No		
gender	text	No		
dob	date	No		
blood_group	text	No		
address	text	No		
state_name	text	No		
nationality	text	No		
front_photo	text	No		
back_photo	text	No		
user_photo	text	No		
cover_photo	text	No		
date_of_issue	datetime	No		
date_of_expiry	datetime	No		
classes_of_vehicle	text	No		
polling_details	text	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	115	A	No	

visitor_verification_paid_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
month_year	varchar(20)	No		mm-yyyy
1_mobile	longtext	No		in this on 1st day of month how many visitors. eg: on December 1 there are 4 visitor then data wil be Mob1@mob2@mob3@mob4
2_mobile	longtext	No		
3_mobile	longtext	No		
4_mobile	longtext	No		
5_mobile	longtext	No		
6_mobile	longtext	No		
7_mobile	longtext	No		
8_mobile	longtext	No		
9_mobile	longtext	No		
10_mobile	longtext	No		
11_mobile	longtext	No		
12_mobile	longtext	No		
13_mobile	longtext	No		
14_mobile	longtext	No		
15_mobile	longtext	No		
16_mobile	longtext	No		
17_mobile	longtext	No		
18_mobile	longtext	No		
19_mobile	longtext	No		
20_mobile	longtext	No		
21_mobile	longtext	No		

Column	Type	Null	Default	Comments
22_mobile	longtext	No		
23_mobile	longtext	No		
24_mobile	longtext	No		
25_mobile	longtext	No		
26_mobile	longtext	No		
27_mobile	longtext	No		
28_mobile	longtext	No		
29_mobile	longtext	No		
30_mobile	longtext	No		
31_mobile	longtext	No		

Indexes

Keyname	Type	Unique	Packed	Columnn	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	

visitor_visiting_paid_details_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
month_year	longtext	No		Eg:December_2024
1_mobile	longtext	No		in this on 1st day of month how many visitors. eg: on December 1 there are 4 visitor then data vil be Mob1@mob2@mob3@mob4
2_mobile	longtext	No		
3_mobile	longtext	No		
4_mobile	longtext	No		
5_mobile	longtext	No		
6_mobile	longtext	No		
7_mobile	longtext	No		
8_mobile	longtext	No		
9_mobile	longtext	No		
10_mobile	longtext	No		
11_mobile	longtext	No		
12_mobile	longtext	No		
13_mobile	longtext	No		
14_mobile	longtext	No		
15_mobile	longtext	No		
16_mobile	longtext	No		
17_mobile	longtext	No		
18_mobile	longtext	No		
19_mobile	longtext	No		
20_mobile	longtext	No		
21_mobile	longtext	No		
22_mobile	longtext	No		
23_mobile	longtext	No		
24_mobile	longtext	No		
25_mobile	longtext	No		
26_mobile	longtext	No		
27_mobile	longtext	No		
28_mobile	longtext	No		
29_mobile	longtext	No		
30_mobile	longtext	No		
31_mobile	longtext	No		
1_data	longtext	No		name1@email1!people_with_visitor1!emp_id1!verification_name1!verification_id1@name2!email2!people_with_visitor2!emp_id2!verification_name2!verification_id2 and so on
2_data	longtext	No		name1@email1!people_with_visitor1!emp_id1!verification_name1!verification_id1@name2!email2!people_with_visitor2!emp_id2!verification_name2!verification_id2 and so on
3_data	longtext	No		
4_data	longtext	No		
5_data	longtext	No		
6_data	longtext	No		
7_data	longtext	No		
8_data	longtext	No		
9_data	longtext	No		
10_data	longtext	No		
11_data	longtext	No		
12_data	longtext	No		

Column	Type	Null	Default	Comments
13_data	longtext	No		
14_data	longtext	No		
15_data	longtext	No		
16_data	longtext	No		
17_data	longtext	No		
18_data	longtext	No		
19_data	longtext	No		
20_data	longtext	No		
21_data	longtext	No		
22_data	longtext	No		
23_data	longtext	No		
24_data	longtext	No		
25_data	longtext	No		
26_data	longtext	No		
27_data	longtext	No		
28_data	longtext	No		
29_data	longtext	No		
30_data	longtext	No		
31_data	longtext	No		
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

visitor_voter_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
visitor_id	varchar(25)	No		
agency_id	varchar(25)	No		
location_id	varchar(100)	No		
initiated_on	datetime	No		
completed_on	datetime	No		
activity_status	int(11)	No		
voter_number	varchar(100)	No		
name	text	No		
dob	date	No		
gender	text	No		
father_name	text	No		father/guardian name
address	longtext	No		
polling_details	varchar(100)	No		
user_photo	longtext	No		
front_photo	longtext	No		
back_photo	longtext	No		
generated_by	int(11)	No	1	1= OCR, 2= Manually
is_authenticate	int(11)	No	1	1=yes, 0=no data will come only when generated_by is Manually = 2
voter_ambiguity	longtext	No		
report_url	longtext	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	

visitor_wallet_transaction_backup_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(10)	No		
transaction_date	date	No		date of transaction
agency_id	varchar(20)	No		
location_id	varchar(20)	No		
line_no	varchar(15)	No		
current_col_no	int(4)	No		
data_col1	longtext	No		(col1data)\$(col2data)\$(col3data)\$... and so on.. and if no data then ()\$()\$
data_col2	longtext	Yes	NULL	
data_col3	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
data_col4	longtext	Yes	NULL	
data_col5	longtext	Yes	NULL	
data_col6	longtext	Yes	NULL	
data_col7	longtext	Yes	NULL	
data_col8	longtext	Yes	NULL	
data_col9	longtext	Yes	NULL	
data_col10	longtext	Yes	NULL	
data_col11	longtext	Yes	NULL	
data_col12	longtext	Yes	NULL	
data_col13	longtext	Yes	NULL	
data_col14	longtext	Yes	NULL	
data_col15	longtext	Yes	NULL	
data_col16	longtext	Yes	NULL	
data_col17	longtext	Yes	NULL	
data_col18	longtext	Yes	NULL	
data_col19	longtext	Yes	NULL	
data_col20	longtext	Yes	NULL	
data_col21	longtext	Yes	NULL	
data_col22	longtext	Yes	NULL	
data_col23	longtext	Yes	NULL	
data_col24	longtext	Yes	NULL	
data_col25	longtext	Yes	NULL	
data_col26	longtext	Yes	NULL	
data_col27	longtext	Yes	NULL	
data_col28	longtext	Yes	NULL	
data_col29	longtext	Yes	NULL	
data_col30	longtext	Yes	NULL	
data_col31	longtext	Yes	NULL	
data_col32	longtext	Yes	NULL	
data_col33	longtext	Yes	NULL	
data_col34	longtext	Yes	NULL	
data_col35	longtext	Yes	NULL	
data_col36	longtext	Yes	NULL	
data_col37	longtext	Yes	NULL	
data_col38	longtext	Yes	NULL	
data_col39	longtext	Yes	NULL	
data_col40	longtext	Yes	NULL	
data_col41	longtext	Yes	NULL	
data_col42	longtext	Yes	NULL	
data_col43	longtext	Yes	NULL	
data_col44	longtext	Yes	NULL	
data_col45	longtext	Yes	NULL	
data_col46	longtext	Yes	NULL	
data_col47	longtext	Yes	NULL	
data_col48	longtext	Yes	NULL	
data_col49	longtext	Yes	NULL	
data_col50	longtext	Yes	NULL	
data_col51	longtext	Yes	NULL	
data_col52	longtext	Yes	NULL	
data_col53	longtext	Yes	NULL	
data_col54	longtext	Yes	NULL	
data_col55	longtext	Yes	NULL	
data_col56	longtext	Yes	NULL	
data_col57	longtext	Yes	NULL	
data_col58	longtext	Yes	NULL	
data_col59	longtext	Yes	NULL	
data_col60	longtext	Yes	NULL	
data_col61	longtext	Yes	NULL	
data_col62	longtext	Yes	NULL	
data_col63	longtext	Yes	NULL	
data_col64	longtext	Yes	NULL	
data_col65	longtext	Yes	NULL	
data_col66	longtext	Yes	NULL	
data_col67	longtext	Yes	NULL	
data_col68	longtext	Yes	NULL	
data_col69	longtext	Yes	NULL	
data_col70	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
data_col71	longtext	Yes	NULL	
data_col72	longtext	Yes	NULL	
data_col73	longtext	Yes	NULL	
data_col74	longtext	Yes	NULL	
data_col75	longtext	Yes	NULL	
data_col76	longtext	Yes	NULL	
data_col77	longtext	Yes	NULL	
data_col78	longtext	Yes	NULL	
data_col79	longtext	Yes	NULL	
data_col80	longtext	Yes	NULL	
data_col81	longtext	Yes	NULL	
data_col82	longtext	Yes	NULL	
data_col83	longtext	Yes	NULL	
data_col84	longtext	Yes	NULL	
data_col85	longtext	Yes	NULL	
data_col86	longtext	Yes	NULL	
data_col87	longtext	Yes	NULL	
data_col88	longtext	Yes	NULL	
data_col89	longtext	Yes	NULL	
data_col90	longtext	Yes	NULL	
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

wallet_payment_transaction_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(100)	No		
user_id	varchar(100)	No		member_id or direct_id
requested_from	int(11)	No		1=in_app, 2=direct, 3=web_link, 4=visitor
purchase_type	int(11)	No		1=verification, 2=smart_wrist
verification_id	varchar(100)	No		
base_amount	float(10,2)	No		
cgst_amount	float(10,2)	No		
sgst_amount	float(10,2)	No		
transaction_on	datetime	No		
transaction_id	varchar(100)	No		
line_type	int(11)	No		1=normal, 2= settled
quantity	int(11)	No		how many line
settled_for	date	No		applicable in case of visitor and direct
ref_transaction_id	varchar(100)	No		this id is a reference of financial data of the base module(visitor/weblink/direct)

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	545	A	No	

wallet_recharge_failed_transaction_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(100)	No		
line_no	int(50)	No		
transaction_id	varchar(100)	No		
payment_gateway_id	varchar(100)	No		
initial_wallet_balance	float(10,2)	No		
added_amount	float(10,2)	No		
final_blnce	double	No		
transaction_date	datetime	No		
recharge_from	int(11)	No		1=online, 2=offer(lucky winner), 3=coupon_code
coupon_amnt	int(50)	No		
recharge_done_by	varchar(20)	No		

Column	Type	Null	Default	Comments
applied_offer_id	varchar(25)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	40	A	No	

wallet_recharge_transaction_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(100)	No		
location_id	varchar(100)	No		
line_no	int(50)	No		
transaction_id	varchar(100)	No		
payment_gateway_id	varchar(100)	No		
initial_wallet_balance	float(10,2)	No		
added_amount	float(10,2)	No		
final_blnce	float	No		
transaction_date	datetime	No		
recharge_from	int(11)	No		1=online, 2=offer(lucky winner), 3=coupon_code
coupon_amnt	int(50)	No		
recharge_done_by	varchar(15)	No		if done by agency owner, then agency_id will go here , and if done by any admin then admin_id will go here
applied_offer_id	varchar(25)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	272	A	No	

weblink_backup_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(20)	No		
location_id	varchar(15)	No		
weblink_id	varchar(20)	No		
line_no	int(11)	No		0 - master data
start_close	varchar(100)	No		start date@close_date
total_agency_collection	varchar(100)	No		
total_paid_by_wallet	varchar(100)	No		total + gst
total_paid_by_end_user	int(11)	No		
no_of_end_user	int(11)	No		
total_ambiguity_count	int(11)	No		
status	int(11)	No		last status close/preclose /expried
pre_close_by	varchar(20)	No		admin_id
group_1	longtext	No		[{ "end_user_id": "END-00052", "ref_enduser_id": "END-00053,END-00054", "type": "Student", "name": "Chintu", "mobile": "8529637412", "email_id": "chintu@gmail.com", "enroll_no": "55", "sms_sent": false, "email_sent": true, "status": "1", "scheduled_verifications": "DVF-00001", "verification_done": "", "weblink_visited_on": "", "weblink_completed_on": "", "verification_reports": "DVF-00001@0", "ambiguity_found": "" }, { "end_user_id": "END-00053", "ref_enduser_id": "END-00052,END-00054", "type": "Father", "name": "Shyaam", "mobile": "9853167420", "email_id": "shyaam@gmail.com", "enroll_no": "", "sms_sent": false, "email_sent": true, "status": "0", "scheduled_verifications": "DVF-00001,DVF-00002,DVF-00004,DVF-00005", "verification_done": "", "weblink_visited_on": "", "weblink_completed_on": "", "verification_reports": "DVF-00001@0,DVF-00002@0,DVF-0000
group_2	longtext	Yes	NULL	
group_3	longtext	Yes	NULL	
group_4	longtext	Yes	NULL	
group_5	longtext	Yes	NULL	
group_6	longtext	Yes	NULL	
group_7	longtext	Yes	NULL	
group_8	longtext	Yes	NULL	
group_9	longtext	Yes	NULL	
group_10	longtext	Yes	NULL	
group_11	longtext	Yes	NULL	
group_12	longtext	Yes	NULL	
group_13	longtext	Yes	NULL	
group_14	longtext	Yes	NULL	
group_15	longtext	Yes	NULL	
group_16	longtext	Yes	NULL	
group_17	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
group_18	longtext	Yes	NULL	
group_19	longtext	Yes	NULL	
group_20	longtext	Yes	NULL	
group_21	longtext	Yes	NULL	
group_22	longtext	Yes	NULL	
group_23	longtext	Yes	NULL	
group_24	longtext	Yes	NULL	
group_25	longtext	Yes	NULL	
group_26	longtext	Yes	NULL	
group_27	longtext	Yes	NULL	
group_28	longtext	Yes	NULL	
group_29	longtext	Yes	NULL	
group_30	longtext	Yes	NULL	
group_31	longtext	Yes	NULL	
group_32	longtext	Yes	NULL	
group_33	longtext	Yes	NULL	
group_34	longtext	Yes	NULL	
group_35	longtext	Yes	NULL	
group_36	longtext	Yes	NULL	
group_37	longtext	Yes	NULL	
group_38	longtext	Yes	NULL	
group_39	longtext	Yes	NULL	
group_40	longtext	Yes	NULL	
group_41	longtext	Yes	NULL	
group_42	longtext	Yes	NULL	
group_43	longtext	Yes	NULL	
group_44	longtext	Yes	NULL	
group_45	longtext	Yes	NULL	
group_46	longtext	Yes	NULL	
group_47	longtext	Yes	NULL	
group_48	longtext	Yes	NULL	
group_49	longtext	Yes	NULL	
group_50	longtext	Yes	NULL	
group_51	longtext	Yes	NULL	
group_52	longtext	Yes	NULL	
group_53	longtext	Yes	NULL	
group_54	longtext	Yes	NULL	
group_55	longtext	Yes	NULL	
group_56	longtext	Yes	NULL	
group_57	longtext	Yes	NULL	
group_58	longtext	Yes	NULL	
group_59	longtext	Yes	NULL	
group_60	longtext	Yes	NULL	
group_61	longtext	Yes	NULL	
group_62	longtext	Yes	NULL	
group_63	longtext	Yes	NULL	
group_64	longtext	Yes	NULL	
group_65	longtext	Yes	NULL	
group_66	longtext	Yes	NULL	
group_67	longtext	Yes	NULL	
group_68	longtext	Yes	NULL	
group_69	longtext	Yes	NULL	
group_70	longtext	Yes	NULL	
group_71	longtext	Yes	NULL	
group_72	longtext	Yes	NULL	
group_73	longtext	Yes	NULL	
group_74	longtext	Yes	NULL	
group_75	longtext	Yes	NULL	
group_76	longtext	Yes	NULL	
group_77	longtext	Yes	NULL	
group_78	longtext	Yes	NULL	
group_79	longtext	Yes	NULL	
group_80	longtext	Yes	NULL	
group_81	longtext	Yes	NULL	
group_82	longtext	Yes	NULL	
group_83	longtext	Yes	NULL	
group_84	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
group_85	longtext	Yes	NULL	
group_86	longtext	Yes	NULL	
group_87	longtext	Yes	NULL	
group_88	longtext	Yes	NULL	
group_89	longtext	Yes	NULL	
group_90	longtext	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	

weblink_crime_details_all

Column	Type	Null	Default	Comments
id <i>(Primary)</i>	int(11)	No		
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
bulk_id	varchar(15)	No		
enduser_id	varchar(15)	No		
no_of_cases	int(11)	Yes	NULL	
criminal_status	varchar(50)	Yes	NULL	
line_no	int(11)	Yes	NULL	
case_1	longtext	Yes	NULL	
case_2	longtext	Yes	NULL	
case_3	longtext	Yes	NULL	
case_4	longtext	Yes	NULL	
case_5	longtext	Yes	NULL	
case_6	longtext	Yes	NULL	
case_7	longtext	Yes	NULL	
case_8	longtext	Yes	NULL	
case_9	longtext	Yes	NULL	
case_10	longtext	Yes	NULL	
case_11	longtext	Yes	NULL	
case_12	longtext	Yes	NULL	
case_13	longtext	Yes	NULL	
case_14	longtext	Yes	NULL	
case_15	longtext	Yes	NULL	
case_16	longtext	Yes	NULL	
case_17	longtext	Yes	NULL	
case_18	longtext	Yes	NULL	
case_19	longtext	Yes	NULL	
case_20	longtext	Yes	NULL	
case_21	longtext	Yes	NULL	
case_22	longtext	Yes	NULL	
case_23	longtext	Yes	NULL	
case_24	longtext	Yes	NULL	
case_25	longtext	Yes	NULL	
case_26	longtext	Yes	NULL	
case_27	longtext	Yes	NULL	
case_28	longtext	Yes	NULL	
case_29	longtext	Yes	NULL	
case_30	longtext	Yes	NULL	
case_31	longtext	Yes	NULL	
case_32	longtext	Yes	NULL	
case_33	longtext	Yes	NULL	
case_34	longtext	Yes	NULL	
case_35	longtext	Yes	NULL	
case_36	longtext	Yes	NULL	
case_37	longtext	Yes	NULL	
case_38	longtext	Yes	NULL	
case_39	longtext	Yes	NULL	
case_40	longtext	Yes	NULL	
case_41	longtext	Yes	NULL	
case_42	longtext	Yes	NULL	
case_43	longtext	Yes	NULL	
case_44	longtext	Yes	NULL	
case_45	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
case_46	longtext	Yes	NULL	
case_47	longtext	Yes	NULL	
case_48	longtext	Yes	NULL	
case_49	longtext	Yes	NULL	
case_50	longtext	Yes	NULL	
case_51	longtext	Yes	NULL	
case_52	longtext	Yes	NULL	
case_53	longtext	Yes	NULL	
case_54	longtext	Yes	NULL	
case_55	longtext	Yes	NULL	
case_56	longtext	Yes	NULL	
case_57	longtext	Yes	NULL	
case_58	longtext	Yes	NULL	
case_59	longtext	Yes	NULL	
case_60	longtext	Yes	NULL	
case_61	longtext	Yes	NULL	
case_62	longtext	Yes	NULL	
case_63	longtext	Yes	NULL	
case_64	longtext	Yes	NULL	
case_65	longtext	Yes	NULL	
case_66	longtext	Yes	NULL	
case_67	longtext	Yes	NULL	
case_68	longtext	Yes	NULL	
case_69	longtext	Yes	NULL	
case_70	longtext	Yes	NULL	
case_71	longtext	Yes	NULL	
case_72	longtext	Yes	NULL	
case_73	longtext	Yes	NULL	
case_74	longtext	Yes	NULL	
case_75	longtext	Yes	NULL	
case_76	longtext	Yes	NULL	
case_77	longtext	Yes	NULL	
case_78	longtext	Yes	NULL	
case_79	longtext	Yes	NULL	
case_80	longtext	Yes	NULL	
case_81	longtext	Yes	NULL	
case_82	longtext	Yes	NULL	
case_83	longtext	Yes	NULL	
crime_file_details	text	Yes	NULL	
date_of_insertion	datetime	Yes	NULL	
data_provider	varchar(50)	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	11	A	No	

weblink_payable_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(15)	No		
weblink_id	longtext	No		can be csv and also store amount against each weblink_id that we settled
disbursed_amt	varchar(100)	No		
disbursed_on	datetime	No		including tax
transaction_id	varchar(50)	No		
utr_no	varchar(50)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

weblink_receivable_all

Column	Type	Null	Default	Comments
id (Primary)	int(11)	No		
agency_id	varchar(100)	No		

Column	Type	Null	Default	Comments
weblink_id	varchar(100)	No		
enduser_id	varchar(100)	No		
type	varchar(10)	No		I/C
enduser_count	int(11)	No		when type C
base_amt	int(11)	No		base amount eg 82
tax	int(11)	No		tax amount eg 18
subtotal_amt	int(11)	No		all total paid by enduser eg 100(82+18)
inserted_on	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

weblink_transation_archieve_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(100)	No		
bulk_id	varchar(15)	No		
upload_id	varchar(15)	No		
data_col1	longtext	No		(col1data)\$(col2data)\$(col3data)\$... and so on.. and if no data then ()\$()\$
data_col2	longtext	Yes	NULL	
data_col3	longtext	Yes	NULL	
data_col4	longtext	Yes	NULL	
data_col5	longtext	Yes	NULL	
data_col6	longtext	Yes	NULL	
data_col7	longtext	Yes	NULL	
data_col8	longtext	Yes	NULL	
data_col9	longtext	Yes	NULL	
data_col10	longtext	Yes	NULL	
data_col11	longtext	Yes	NULL	
data_col12	longtext	Yes	NULL	
data_col13	longtext	Yes	NULL	
data_col14	longtext	Yes	NULL	
data_col15	longtext	Yes	NULL	
data_col16	longtext	Yes	NULL	
data_col17	longtext	Yes	NULL	
data_col18	longtext	Yes	NULL	
data_col19	longtext	Yes	NULL	
data_col20	longtext	Yes	NULL	
data_col21	longtext	Yes	NULL	
data_col22	longtext	Yes	NULL	
data_col23	longtext	Yes	NULL	
data_col24	longtext	Yes	NULL	
data_col25	longtext	Yes	NULL	
data_col26	longtext	Yes	NULL	
data_col27	longtext	Yes	NULL	
data_col28	longtext	Yes	NULL	
data_col29	longtext	Yes	NULL	
data_col30	longtext	Yes	NULL	
data_col31	longtext	Yes	NULL	
data_col32	longtext	Yes	NULL	
data_col33	longtext	Yes	NULL	
data_col34	longtext	Yes	NULL	
data_col35	longtext	Yes	NULL	
data_col36	longtext	Yes	NULL	
data_col37	longtext	Yes	NULL	
data_col38	longtext	Yes	NULL	
data_col39	longtext	Yes	NULL	
data_col40	longtext	Yes	NULL	
data_col41	longtext	Yes	NULL	
data_col42	longtext	Yes	NULL	
data_col43	longtext	Yes	NULL	
data_col44	longtext	Yes	NULL	
data_col45	longtext	Yes	NULL	
data_col46	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
data_col47	longtext	Yes	NULL	
data_col48	longtext	Yes	NULL	
data_col49	longtext	Yes	NULL	
data_col50	longtext	Yes	NULL	
data_col51	longtext	Yes	NULL	
data_col52	longtext	Yes	NULL	
data_col53	longtext	Yes	NULL	
data_col54	longtext	Yes	NULL	
data_col55	longtext	Yes	NULL	
data_col56	longtext	Yes	NULL	
data_col57	longtext	Yes	NULL	
data_col58	longtext	Yes	NULL	
data_col59	longtext	Yes	NULL	
data_col60	longtext	Yes	NULL	
data_col61	longtext	Yes	NULL	
data_col62	longtext	Yes	NULL	
data_col63	longtext	Yes	NULL	
data_col64	longtext	Yes	NULL	
data_col65	longtext	Yes	NULL	
data_col66	longtext	Yes	NULL	
data_col67	longtext	Yes	NULL	
data_col68	longtext	Yes	NULL	
data_col69	longtext	Yes	NULL	
data_col70	longtext	Yes	NULL	
data_col71	longtext	Yes	NULL	
data_col72	longtext	Yes	NULL	
data_col73	longtext	Yes	NULL	
data_col74	longtext	Yes	NULL	
data_col75	longtext	Yes	NULL	
data_col76	longtext	Yes	NULL	
data_col77	longtext	Yes	NULL	
data_col78	longtext	Yes	NULL	
data_col79	longtext	Yes	NULL	
data_col80	longtext	Yes	NULL	
data_col81	longtext	Yes	NULL	
data_col82	longtext	Yes	NULL	
data_col83	longtext	Yes	NULL	
data_col84	longtext	Yes	NULL	
data_col85	longtext	Yes	NULL	
data_col86	longtext	Yes	NULL	
data_col87	longtext	Yes	NULL	
data_col88	longtext	Yes	NULL	
data_col89	longtext	Yes	NULL	
data_col90	longtext	Yes	NULL	
line_no	varchar(15)	No		
inserted_on	datetime	No		
current_col_no	int(4)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

weblink_verification_archieve_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(100)	No		
bulk_id	varchar(15)	No		
upload_id	varchar(15)	No		
data_col1	longtext	No		{col1data}\${col2data}\${col3data}\$... and so on.. and if no data then ()\$()\$
data_col2	longtext	Yes	NULL	
data_col3	longtext	Yes	NULL	
data_col4	longtext	Yes	NULL	
data_col5	longtext	Yes	NULL	
data_col6	longtext	Yes	NULL	
data_col7	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
data_col8	longtext	Yes	NULL	
data_col9	longtext	Yes	NULL	
data_col10	longtext	Yes	NULL	
data_col11	longtext	Yes	NULL	
data_col12	longtext	Yes	NULL	
data_col13	longtext	Yes	NULL	
data_col14	longtext	Yes	NULL	
data_col15	longtext	Yes	NULL	
data_col16	longtext	Yes	NULL	
data_col17	longtext	Yes	NULL	
data_col18	longtext	Yes	NULL	
data_col19	longtext	Yes	NULL	
data_col20	longtext	Yes	NULL	
data_col21	longtext	Yes	NULL	
data_col22	longtext	Yes	NULL	
data_col23	longtext	Yes	NULL	
data_col24	longtext	Yes	NULL	
data_col25	longtext	Yes	NULL	
data_col26	longtext	Yes	NULL	
data_col27	longtext	Yes	NULL	
data_col28	longtext	Yes	NULL	
data_col29	longtext	Yes	NULL	
data_col30	longtext	Yes	NULL	
data_col31	longtext	Yes	NULL	
data_col32	longtext	Yes	NULL	
data_col33	longtext	Yes	NULL	
data_col34	longtext	Yes	NULL	
data_col35	longtext	Yes	NULL	
data_col36	longtext	Yes	NULL	
data_col37	longtext	Yes	NULL	
data_col38	longtext	Yes	NULL	
data_col39	longtext	Yes	NULL	
data_col40	longtext	Yes	NULL	
data_col41	longtext	Yes	NULL	
data_col42	longtext	Yes	NULL	
data_col43	longtext	Yes	NULL	
data_col44	longtext	Yes	NULL	
data_col45	longtext	Yes	NULL	
data_col46	longtext	Yes	NULL	
data_col47	longtext	Yes	NULL	
data_col48	longtext	Yes	NULL	
data_col49	longtext	Yes	NULL	
data_col50	longtext	Yes	NULL	
data_col51	longtext	Yes	NULL	
data_col52	longtext	Yes	NULL	
data_col53	longtext	Yes	NULL	
data_col54	longtext	Yes	NULL	
data_col55	longtext	Yes	NULL	
data_col56	longtext	Yes	NULL	
data_col57	longtext	Yes	NULL	
data_col58	longtext	Yes	NULL	
data_col59	longtext	Yes	NULL	
data_col60	longtext	Yes	NULL	
data_col61	longtext	Yes	NULL	
data_col62	longtext	Yes	NULL	
data_col63	longtext	Yes	NULL	
data_col64	longtext	Yes	NULL	
data_col65	longtext	Yes	NULL	
data_col66	longtext	Yes	NULL	
data_col67	longtext	Yes	NULL	
data_col68	longtext	Yes	NULL	
data_col69	longtext	Yes	NULL	
data_col70	longtext	Yes	NULL	
data_col71	longtext	Yes	NULL	
data_col72	longtext	Yes	NULL	
data_col73	longtext	Yes	NULL	
data_col74	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
data_col75	longtext	Yes	NULL	
data_col76	longtext	Yes	NULL	
data_col77	longtext	Yes	NULL	
data_col78	longtext	Yes	NULL	
data_col79	longtext	Yes	NULL	
data_col80	longtext	Yes	NULL	
data_col81	longtext	Yes	NULL	
data_col82	longtext	Yes	NULL	
data_col83	longtext	Yes	NULL	
data_col84	longtext	Yes	NULL	
data_col85	longtext	Yes	NULL	
data_col86	longtext	Yes	NULL	
data_col87	longtext	Yes	NULL	
data_col88	longtext	Yes	NULL	
data_col89	longtext	Yes	NULL	
data_col90	longtext	Yes	NULL	
line_no	varchar(15)	No		
inserted_on	datetime	No		
current_col_no	int(4)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

weblink_wallet_payment_transaction_archieve_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		
agency_id	varchar(15)	No		
location_id	varchar(100)	No		
bulk_id	varchar(15)	No		
upload_id	varchar(15)	No		
data_col1	longtext	No		(col1data)\$(col2data)\$(col3data)\$... and so on.. and if no data then ()\$()\$
data_col2	longtext	Yes	NULL	
data_col3	longtext	Yes	NULL	
data_col4	longtext	Yes	NULL	
data_col5	longtext	Yes	NULL	
data_col6	longtext	Yes	NULL	
data_col7	longtext	Yes	NULL	
data_col8	longtext	Yes	NULL	
data_col9	longtext	Yes	NULL	
data_col10	longtext	Yes	NULL	
data_col11	longtext	Yes	NULL	
data_col12	longtext	Yes	NULL	
data_col13	longtext	Yes	NULL	
data_col14	longtext	Yes	NULL	
data_col15	longtext	Yes	NULL	
data_col16	longtext	Yes	NULL	
data_col17	longtext	Yes	NULL	
data_col18	longtext	Yes	NULL	
data_col19	longtext	Yes	NULL	
data_col20	longtext	Yes	NULL	
data_col21	longtext	Yes	NULL	
data_col22	longtext	Yes	NULL	
data_col23	longtext	Yes	NULL	
data_col24	longtext	Yes	NULL	
data_col25	longtext	Yes	NULL	
data_col26	longtext	Yes	NULL	
data_col27	longtext	Yes	NULL	
data_col28	longtext	Yes	NULL	
data_col29	longtext	Yes	NULL	
data_col30	longtext	Yes	NULL	
data_col31	longtext	Yes	NULL	
data_col32	longtext	Yes	NULL	
data_col33	longtext	Yes	NULL	
data_col34	longtext	Yes	NULL	
data_col35	longtext	Yes	NULL	

Column	Type	Null	Default	Comments
data_col36	longtext	Yes	NULL	
data_col37	longtext	Yes	NULL	
data_col38	longtext	Yes	NULL	
data_col39	longtext	Yes	NULL	
data_col40	longtext	Yes	NULL	
data_col41	longtext	Yes	NULL	
data_col42	longtext	Yes	NULL	
data_col43	longtext	Yes	NULL	
data_col44	longtext	Yes	NULL	
data_col45	longtext	Yes	NULL	
data_col46	longtext	Yes	NULL	
data_col47	longtext	Yes	NULL	
data_col48	longtext	Yes	NULL	
data_col49	longtext	Yes	NULL	
data_col50	longtext	Yes	NULL	
data_col51	longtext	Yes	NULL	
data_col52	longtext	Yes	NULL	
data_col53	longtext	Yes	NULL	
data_col54	longtext	Yes	NULL	
data_col55	longtext	Yes	NULL	
data_col56	longtext	Yes	NULL	
data_col57	longtext	Yes	NULL	
data_col58	longtext	Yes	NULL	
data_col59	longtext	Yes	NULL	
data_col60	longtext	Yes	NULL	
data_col61	longtext	Yes	NULL	
data_col62	longtext	Yes	NULL	
data_col63	longtext	Yes	NULL	
data_col64	longtext	Yes	NULL	
data_col65	longtext	Yes	NULL	
data_col66	longtext	Yes	NULL	
data_col67	longtext	Yes	NULL	
data_col68	longtext	Yes	NULL	
data_col69	longtext	Yes	NULL	
data_col70	longtext	Yes	NULL	
data_col71	longtext	Yes	NULL	
data_col72	longtext	Yes	NULL	
data_col73	longtext	Yes	NULL	
data_col74	longtext	Yes	NULL	
data_col75	longtext	Yes	NULL	
data_col76	longtext	Yes	NULL	
data_col77	longtext	Yes	NULL	
data_col78	longtext	Yes	NULL	
data_col79	longtext	Yes	NULL	
data_col80	longtext	Yes	NULL	
data_col81	longtext	Yes	NULL	
data_col82	longtext	Yes	NULL	
data_col83	longtext	Yes	NULL	
data_col84	longtext	Yes	NULL	
data_col85	longtext	Yes	NULL	
data_col86	longtext	Yes	NULL	
data_col87	longtext	Yes	NULL	
data_col88	longtext	Yes	NULL	
data_col89	longtext	Yes	NULL	
data_col90	longtext	Yes	NULL	
line_no	varchar(15)	No		
inserted_on	datetime	No		
current_col_no	int(4)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

worker_attendance_transaction_all

Column	Type	Null	Default	Comments
id (Primary)	int(10)	No		

Column	Type	Null	Default	Comments
agency_id	varchar(15)	No		
location_id	varchar(15)	No		
worker_id	varchar(15)	No		
date	date	No		
admin_id	varchar(15)	No		
sign_in_time	varchar(20)	No		
sign_out_time	varchar(20)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	